



GE直插系列接插件技术特性/GE technical characteristics



电流负载能力 / Current carrying capacity

电流负载能力所受的限制主要来自包含接插针的接插体可承受的最大温度。
测试和控制过程依据DINIEC 60512-3。
The current carrying is limited by maximum temperature of materials for inserts and contacts including terminals.
Control and test procedures according to DIN IEC 60512-3.

规范 / Specifications	DIN VDE 0627 DIN VDE 0110
---------------------	------------------------------

接插件针数/Number of contacts	6,10,16,24,32(2X16), 48(2X24)+PE
--------------------------	-------------------------------------

插接体 / Inserts



工作电流/Working current (见负载图/See current carring capacity)	16 A max.
工作电压/Working voltage	500V
测试电压/Test voltage Urms	6KV
污染等级/Pollution degree	3(C)
隔离电阻/Insulation resistance	≥10 ¹⁰ Ω
材料/Material	Polycarbonate
工作温度范围/Temperature range	-40℃...+100℃/125℃
阻燃等级(UL94)Flammability acc.to (UI94)	V0
据UL/CSA工作电压Working voltage acc.to UL/CSA	600V
可拨插次数/Mechanical working life(mating cycles)	≥500

接插针 / Contacts

材料/Material	铜/Copper alloy
表面处理/Surface	镀银/Hard silver-plated 镀金/Hard gold-plated
接触电阻/Contact resistance	≤1mΩ
接线形式/Terminal -mm ² -AWG	直插压接/ straight crimping 0.5-4.0mm ² 14
拧紧力矩/测试力矩Tightening/test torque	0.5Nm

金属上壳/底座 Hoods/Housings

材料/Material	铸铝合金/Die cast aluminium
表面处理/Surface	高温粉末镀层,灰色 Powder-coated, RAL 7037
锁定装置/Locking element	不锈钢或铁镀锌 Stainless steel, steel-zinc plated
工作温度范围/Temperature range	-40℃...+125℃
防护等级/Degree of protection acc.to DIN40 050	IP65



- ①GDC-GE-006 ②GDC-GE-010
③GDC-GE-016 ④GDC-GE-024

GE-003/GE-004接插体 / GE-003/GE-004 inserts



芯件适配用 G3A 外壳

Inserts suit for G3A hoods/housing

3+ $\oplus$ 4+ $\oplus$


直插压接 / Screw terminal

3+ $\oplus$

500V/16A

开发中

插芯/Inserts	型号/Type	订货号/Part Number
公 Male	GE-003-MZ	
母 Female	GE-003-FZ	



M

F


直插压接 / Screw terminal

4+ $\oplus$

500V/16A

开发中

插芯/Inserts	型号/Type	订货号/Part Number
公 Male	GE-004-MZ	
母 Female	GE-004-FZ	



M

F

管形预绝缘端头




EV_ _ _

极限工作温度:105℃, Ui: 300V

端头材质: 紫铜管

绝缘材料: 乙烯基



型号	订货号	包装数	导线截面 (mm ²)	预绝缘端 头色标	尺寸(mm)				
					F	L	D	d	W
EV0.5-10	5570103	1000	0.5	(WH)	10.0	16.0	1.3	1.0	2.6
EV0.75-10	5570107	1000	0.75	(BU)	10.0	16.4	1.5	1.2	2.8
EV1-10	5570111	1000	1.0	(RD)	10.0	16.4	1.7	1.4	3
EV1.5-10	5570114	1000	1.5	(BK)	10.0	16.4	2.0	1.7	3.5
EV2.5-10	5570118	1000	2.5	(GY)	10.0	17.4	2.6	2.2	4



型号	压接范围	订货号
CE-501	0.08~6.0mm ² (可调节压接范围)	3 954 100





型号	压接范围	订货号
CE-502	0.5~6.0mm ²	3 954 101


材质：聚碳酸酯

颜色：RAL7032



顶部进线 Top entry





螺纹 Thread	型号 /Type	订货号 /Part Number
PG11	G3A-MTS-P-PG11	
M20	G3A-MTS-P-M20	





Bulkhead mounting: Bottom entry




Bulkhead mounting: Bottom entry




Surface mounting: Side entry




螺纹 Thread	型号 /Type	订货号 /Part Number
PG11	G3A-MTGV-B-P-PG11	
M20	G3A-MTGV-B-P-M20	



螺纹 Thread	型号 /Type	订货号 /Part Number
	配公芯 G3A-KDT-P/1M	
	配母芯 G3A-KDT-P/1F	



螺纹 Thread	型号 /Type	订货号 /Part Number
	配公芯 G3A-KDB-P/1M	
	配公芯 G3A-KDB-P/2M	
	配母芯 G3A-KDB-P/1F	
	配母芯 G3A-KDB-P/2F	



G3A金属外壳 / G3A metal hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层,RAL7037 / Powder-coated,RAL 7037

防护等级 Degree of protection : IP65

上壳 / Hoods



顶部进线 Top entry



螺纹 Thread	型号/Type	订货号 /Part Number
PG11	G3A-MTG-PG11	
M20	G3A-MTG-M20	




螺纹Thread	型号 /Type	订货号 /Part Number
M25	G3A-MTG-M25	



侧面进线 Side entry



螺纹 Thread	型号/Type	订货号 /Part Number
PG11	G3A-MTS-PG11	
M20	G3A-MTS-M20	
M25	G3A-MTS-M25	



下壳底座 / Housings

开孔安装
Bulkhead mounting: Bottom entry




螺纹 Thread	型号/Type	订货号 /Part Number
	G3A-MAG-12/2	




螺纹 Thread	型号/Type	订货号 /Part Number
---	G3A-MAG	




螺纹 Thread	型号/Type	订货号 /Part Number
---	G3A-MAG-AD	

开孔安装(侧出形式)
Bulkhead mounting: Bottom entry

螺纹 Thread	型号/Type	订货号 /Part Number
---	G3A-MAGS	

表面安装(侧面形式)
Surface mounting: Side entry


螺纹 Thread	型号/Type	订货号 /Part Number
PG11	G3A-MAGSV-PG11	
M20	G3A-MAGSV-M20	



电缆对接下壳 Cable-to-cable hood:



螺纹 Thread	型号/Type	订货号 /Part Number
PG11	G3A-MTGVB-PG11	
M20	G3A-MTGVB-M20	



G3A金属外壳 EMC / G3A metal hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390


表面粉末镀层,RAL7037 / Powder-coated,RAL 7037

保护盖

上壳保护盖
Protection covers for housings




螺纹 Thread	型号/Type	订货号 /Part Number
	配公芯 G3A-KDT-LA/1M	
	配母芯 G3A-KDT-LA/1F	



底座保护盖
Protection covers for housings



螺纹 Thread	型号/Type	订货号 /Part Number
	配公芯 G3A-KDB-LA/1M	
	配公芯 G3A-KDB-LA/2M	
	配母芯 G3A-KDB-LA/1F	
	配母芯 G3A-KDB-LA/2F	



螺纹 Thread	型号/Type	订货号 /Part Number
---	G3A-KDB	



G3A高防护金属外壳 / G3A metal hoods/housings

防护等级Degree of protection: IP68 H version


喷涂/镀铬 Epoxy power paint/Chromated

上壳 / Hoods

顶部进线 Top entry



螺纹 Thread	型号/Type	订货号 /Part Number
PG13.5	G3A-MTGH-HP-PG13.5	
M20	G3A-MTGH-HP-M20	




下壳底座 / Housings

开孔安装
Bulkhead mounting: Bottom entry



螺纹 Thread	型号/Type	订货号 /Part Number
	G3A-MAGH-HP	



Inserts suit for G6B hoods/housing

6+


500V max.16A




插芯/Inserts	型号/Type	订货号/Part Number
公 Male	GE-006-MZ	
母 Female	GE-006-FZ	
公 Male	GE-006-MZN(尼龙)	
母 Female	GE-006-FZN(尼龙)	

	a	b	e	g	c	d	f	m
M7/E7	17.4	34.5	51	33.8	17.2	36.7	51	34


Contacts arrangement view from termination side



Panel cut out for inserts for use without Hoods/housings



绝缘材料: 乙烯基



型号	订货号	包装数	导线截面 (mm²)	预绝缘端 头色标	尺寸(mm)				
					F	L	D	d	W
EV0.5-10	5570103	1000	0.5	(WH)	10.0	16.0	1.3	1.0	2.6
EV0.75-10	5570107	1000	0.75	(BU)	10.0	16.4	1.5	1.2	2.8
EV1-10	5570111	1000	1.0	(RD)	10.0	16.4	1.7	1.4	3
EV1.5-10	5570114	1000	1.5	(BK)	10.0	16.4	2.0	1.7	3.5
EV2.5-10	5570118	1000	2.5	(GY)	10.0	17.4	2.6	2.2	4



型号	压接范围	订货号
CE-501	0.08~6.0mm ² (可调节压接范围)	3 954 100



型号	压接范围	订货号
CE-502	0.5~6.0mm ²	3 954 101

G6B带单扣外壳 / G6B with 1 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037


防护等级 Degree of protection : IP65

上壳 / Hoods

侧面进线: Side entry




螺纹 Thread	型号/Type	订货号 /Part Number
PG13.5	G6B-TS-RO-PG13.5	
PG16	G6B-TS-RO-PG16	
M20	G6B-TS-RO-M20	
M25	G6B-TS-RO-M25	



侧面进线: Side entry




螺纹 Thread	型号/Type	订货号 /Part Number
	高结构/High construction	
PG21	G6B-TSH-RO-PG21	
PG29	G6B-TSH-RO-PG29	
M25	G6B-TSH-RO-M25	
M32	G6B-TSH-RO-M32	



顶部进线: Top entry




螺纹 Thread	型号/Type	订货号 /Part Number
PG13.5	G6B-TG-RO-PG13.5	
PG16	G6B-TG-RO-PG16	
M20	G6B-TG-RO-M20	
M25	G6B-TG-RO-M25	



顶部进线: Top entry




螺纹 Thread	型号/Type	订货号 /Part Number
	高结构/High construction	
PG21	G6B-TGH-RO-PG21	
PG29	G6B-TGH-RO-PG29	
M25	G6B-TGH-RO-M25	
M32	G6B-TGH-RO-M32	

上壳侧出线/顶出线
Hoods, side & top entry, high construction

我司可提供顶部、侧面同时出线的非标品
We can provide non-standard products with both top & side entry


型号为: G6B-TSH/TGH-RO-XX/XX
如有需要请与我司联系



上壳保护盖 Protection covers for hoods




螺纹 Thread	型号/Type	订货号 /Part Number
	G6B-KDT	
	带金属保护盖/With protection cover	
	G6B-KDT-LA	



下壳底座 / Housings

外壳底座: 开孔安装
Bulkhead mounted: Bottom entry

螺纹 Thread	型号/Type	订货号 /Part Number
	G6B-AG-LB	
	带保护盖/With protection cover	
	G6B-AD-LB	
	带金属保护盖/With protection cover	
	G6B-AD-LB-LA	



G6B带单扣外壳 / G6B with 1 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390


表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037

防护等级 Degree of protection : IP65

下壳底座 / Housings

外壳底座: 表面安装
Surface mounted: Side entry


螺纹 Thread	型号/Type	订货号 /Part Number
1个进线孔1 side entry		
PG13.5	G6B-SGR-LB-PG13.5	
PG16	G6B-SGR-LB-PG16	
M20	G6B-SGR-LB-M20	
M25	G6B-SGR-LB-M25	
2个进线孔2 side entry		
2PG13.5	G6B-SGR-LB-2PG13.5	
2PG16	G6B-SGR-LB-2PG16	
2M20	G6B-SGR-LB-2M20	
2M25	G6B-SGR-LB-2M25	
高结构/High construction		
PG21	G6B-SGRH-LB-PG21	
PG29	G6B-SGRH-LB-PG29	
M32	G6B-SGRH-LB-M32	
2个进线孔2 side entry		
2PG21	G6B-SGRH-LB-2PG21	
2PG29	G6B-SGRH-LB-2PG29	
2M32	G6B-SGRH-LB-2M32	



高结构/High construction

外壳底座: 表面安装
Surface mounted: Side entry

螺纹 Thread	型号/Type	订货号 /Part Number
带保护盖/With protection cover		
1个进线孔1 side entry		
PG13.5	G6B-SDR-LB-PG13.5	
PG16	G6B-SDR-LB-PG16	
M20	G6B-SDR-LB-M20	
M25	G6B-SDR-LB-M25	
2个进线孔2 side entry		
PG13.5	G6B-SDR-LB-2PG13.5	
PG16	G6B-SDR-LB-2PG16	
M20	G6B-SDR-LB-2M20	
M25	G6B-SDR-LB-2M25	
高结构/High construction		
PG21	G6B-SDRH-LB-PG21	
PG29	G6B-SDRH-LB-PG29	
M32	G6B-SDRH-LB-M32	
2个进线孔2 side entry		
2PG21	G6B-SDRH-LB-2PG21	
2PG29	G6B-SDRH-LB-2PG29	
2M32	G6B-SDRH-LB-2M32	




高结构/High construction

电缆对接外壳 Cable-to-cable hood




螺纹 Thread	型号/Type	订货号 /Part Number
PG16	G6B-TBF-LB-PG16	
M20	G6B-TBF-LB-M20	
高结构/High construction		
PG16	G6B-TBFH-LB-PG16	
PG29	G6B-TBFH-LB-PG29	
M25	G6B-TBFH-LB-M25	
M32	G6B-TBFH-LB-M32	



底座保护盖 Housing protection cover



螺纹 Thread	型号/Type	订货号 /Part Number
	G6B-KDB	
金属盖/用于上壳 For hoods		
	G6B-KDB-LA-1	
金属盖/用于下壳 For housings		
	G6B-KDB-LA-2	



G6B耐腐蚀单扣外壳 /G6B with 1lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 9005 / Powder-coated, RAL 9005


防护等级 Degree of protection : IP65

上壳 / Hoods

侧面进线 Side entry




螺纹 Thread	型号/Type	订货号 /Part Number
PG13.5	G6B-TS-RO-M- PG13.5	
PG16	G6B-TS-RO-M- PG16	
M20	G6B-TS-RO-M- M20	



侧面进线 Side entry




螺纹 Thread	型号/Type	订货号 /Part Number
	高结构/High construction	
M25	G6B-TSH-RO-M- M25	
M32	G6B-TSH-RO-M- M32	



顶部进线 Top entry




螺纹 Thread	型号/Type	订货号 /Part Number
PG13.5	G6B-TG-RO-M- PG13.5	
PG16	G6B-TG-RO-M- PG16	
M20	G6B-TG-RO-M- M20	



顶部进线 Top entry



螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G6B-TGH-RO-M- PG21	
PG29	G6B-TGH-RO-M- PG29	
M25	G6B-TGH-RO-M- M25	
M32	G6B-TGH-RO-M- M32	




下壳底座 / Housings

外壳底座: 开孔安装
Bulkhead mounted housing




螺纹 Thread	型号/Type	订货号 /Part Number
	G6B-AG-LB-M	
	带保护盖/With protection cover	
	G6B-AD-LB-M	
	带金属保护盖With protection cover	
	G6B-AD-LB-LA-M	



外壳底座: 表面安装
Surface mounted: Side entry




螺纹 Thread	型号/Type	订货号 /Part Number
	2个进线孔2 side entry	
2PG16	G6B-SGR-LB-M- 2PG16	
2M20	G6B-SGR-LB-M- 2M20	



电缆对接外壳 Cable-to-cable hood




螺纹 Thread	型号/Type	订货号 /Part Number
PG13.5	G6B-TBF-LB-M- PG16	



底座保护盖 Housing protection cover



螺纹 Thread	型号/Type	订货号 /Part Number
	金属保护盖With protection cover	
	G6B-KDT-LA-M	



GE-010接插体 /GE-010 inserts



芯件适配用G10B外壳

nserts suit for G10B hoods/housing

10+ 

直插压接/ straight crimping


500V max.16A



插芯/Inserts	型号/Type	订货号/Part Number
公 Male	GE-010-MZ	
母 Female	GE-010-FZ	
公 Male	GE-010-MZN(尼龙)	
母 Female	GE-010-FZN(尼龙)	

1) 接插体之间的最大距离21mm


1) Distance for contact max.21mm



	a	b	e	g	c	d	f	m
MZ/FZ	17.4	34.5	64	33.8	17.2	36.8	64.5	34


接插针排序

Contacts arrangement view from termination side



面板安装开孔图

Panel cut out for inserts for use without Hoods/housings



管形预绝缘端头




EV_ _ _

极限工作温度:105℃, U_i: 300V

端头材质: 紫铜管

绝缘材料: 乙烯基



型号	订货号	包装数	导线截面 (mm²)	预绝缘端 头色标	尺寸(mm)				
					F	L	D	d	W
EV0.5-10	5570103	1000	0.5	(WH)	10.0	16.0	1.3	1.0	2.6
EV0.75-10	5570107	1000	0.75	(BU)	10.0	16.4	1.5	1.2	2.8
EV1-10	5570111	1000	1.0	(RD)	10.0	16.4	1.7	1.4	3
EV1.5-10	5570114	1000	1.5	(BK)	10.0	16.4	2.0	1.7	3.5
EV2.5-10	5570118	1000	2.5	(GY)	10.0	17.4	2.6	2.2	4



型号	压接范围	订货号
CE-501	0.08~6.0mm ² (可调节压接范围)	3 954 100



型号	压接范围	订货号
CE-502	0.5~6.0mm ²	3 954 101

G10B带双扣外壳 / G10B with 2 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037


防护等级 Degree of protection : IP65

上壳 / Hoods

侧面进线 Side entry



螺纹 Thread	型号/Type	订货号 /Part Number
PG16	G10B-TS-PG16	
M20	G10B-TS-M20	
M25	G10B-TS-M25	
高结构/High construction		
PG21	G10B-TSH-PG21	
PG29	G10B-TSH-PG29	
M25	G10B-TSH-M25	
M32	G10B-TSH-M32	




高结构/High construction

顶部进线 Top entry



螺纹 Thread	型号/Type	订货号 /Part Number
PG16	G10B-TG-PG16	
M20	G10B-TG-M20	
M25	G10B-TG-M25	
高结构/High construction		
PG21	G10B-TGH-PG21	
PG29	G10B-TGH-PG29	
M25	G10B-TG H-M25	
M32	G10B-TGH-M32	




高结构/High construction

上壳侧出线/顶出线
Hoods, side&top entry, high construction

我司可提供顶部、侧面同时出线的非标品
We can provide non-standard products with both top&side entry


型号为:G10-TSH/TGH-PG/M 如有需要请与我司联系



上壳保护盖 Protection covers for hoods



螺纹 Thread	型号/Type	订货号 /Part Number
	G10B-KDT	
带金属保护盖 /With protection cover		
金属盖/用于上壳 For hoods		
	G10B-KD T-LA-1	
金属盖/用于下壳 For housings		
	G10B-KD T-LA-2	




下壳底座 / Housings

外壳底座: 开孔安装 Bulkhead mounted



螺纹 Thread	型号/Type	订货号 /Part Number
	G10B-AG	



G10B带双扣外壳 / G10B with 2 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390


表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037

防护等级 Degree of protection : IP65

下壳底座 / Housings

外壳底座: 表面安装
Surface mounted: Side entry


螺纹 Thread	型号/Type	订货号 /Part Number
1个进线孔 1 side entry		
PG16	G10B-SGR-PG16	
M20	G10B-SGR-M20	
M25	G10B-SGR-M25	
2个进线孔 2 side entry		
PG16	G10B-SGR-2PG16	
M20	G10B-SGR-2M20	
M25	G10B-SGR-2M25	
高结构/High construction		
1个进线孔 1 side entry		
PG21	G10B-SGRH-PG21	
PG29	G10B-SGRH-PG29	
M32	G10B-SGRH-M32	
2个进线孔 2 side entry		
PG21	G10B-SGRH-2PG21	
PG29	G10B-SGRH-2PG29	
M32	G10B-SGRH-2M32	




电缆对接下壳 Cable-to-cable hood



螺纹 Thread	型号/Type	订货号 /Part Number
PG16	G10B-TBF-PG16	
M20	G10B-TBF-M20	
M25	G10B-TBF-M25	
高结构/High construction		
PG21	G10B-TBFH-PG21	
PG29	G10B-TBFH-PG29	
M25	G10B-TBFH-M25	
M32	G10B-TBFH-M32	

底座保护盖
Housing protection cover

螺纹 Thread	型号/Type	订货号 /Part Number
	G10B-KDB	
带金属保护盖 /With protection cover		
---	金属盖/用于上壳 For hoods	
	G10B-KDB-LA-1	
金属盖/用于下壳 For housings		
	G10B-KDB-LA-2	



G10B带双扣外壳 / G10B with 2 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037

防护等级 Degree of protection : IP65


上壳 / Hoods

侧出带双扣上壳

Side entry housing with two levers



螺纹 Thread	型号/Type	订货号 /Part Number
PG16	G10B-TSB-PG16	
M20	G10B-TSB-M20	
M25	G10B-TSB-M25	
高结构/High construction		
PG21	G10B-TSBH-PG21	
PG29	G10B-TSBH-PG29	
M25	G10B-TSBH-M25	
M32	G10B-TSBH-M32	




高结构/High construction

顶出带双扣上壳 Top entry housing with two levers



螺纹 Thread	型号/Type	订货号 /Part Number
PG16	G10B-TGB-PG16	
M20	G10B-TGB-M20	
M25	G10B-TGB-M25	
高结构/High construction		
PG21	G10B-TGBH-PG21	
PG29	G10B-TGBH-PG29	
M25	G10B-TGBH-M25	
M32	G10B-TGBH-M32	




高结构/High construction

下壳底座 / Housings

带盖开孔底座 Bulkhead mounting



螺纹 Thread	型号/Type	订货号 /Part Number
	G10B-AG-BO	
	带保护盖/ith protection cover	
	G10B-AD-BO	




下壳底座 / Housings

带盖表面安装底座 Surface mounting



螺纹 Thread	型号/Type	订货号 /Part Number
	带保护盖/with protection cover	
1个进线孔 1 side entry		
PG16	G10B-SDR-BO-PG16	
M20	G10B-SDR-BO-M20	
M25	G10B-SDR-BO-M25	
2个进线孔 2 side entry		
PG16	G10B-SDR-BO-2PG16	
M20	G10B-SDR-BO-2M20	
M25	G10B-SDR-BO-2M25	
高结构/High construction		
1个进线孔 1 side entry		
PG21	G10B-SDRH-BO-PG21	
PG29	G10B-SDRH-BO-PG29	
M32	G10B-SDRH-BO-M32	
2个进线孔 2 side entry		
PG21	G10B-SDRH-BO-2PG21	
PG29	G10B-SDRH-BO-2PG29	
M32	G10B-SDRH-BO-2M32	



高结构/High construction

G10B带单扣外壳 / G10B with 1 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037

防护等级 Degree of protection : IP65

上壳 / Hoods


侧面进线 Side entry




螺纹 Thread	型号/Type	订货号 /Part Number
PG16	G10B-TS-RO-PG16	
M20	G10B-TS-RO-M20	
M25	G10B-TS-RO-M25	



高结构/High construction		
PG21	G10B-TSH-RO-PG21	
PG29	G10B-TSH-RO-PG29	
M25	G10B-TSH-RO-M25	
M32	G10B-TSH-RO-M32	



高结构/High construction




顶部进线 Top entry




螺纹 Thread	型号/Type	订货号 /Part Number
PG16	G10B-TG-RO-PG16	
M20	G10B-TG-RO-M20	
M25	G10B-TG-RO-M25	



高结构/High construction		
PG21	G10B-TGH-RO-PG21	
PG29	G10B-TGH-RO-PG29	
M25	G10B-TGH-RO-M25	
M32	G10B-TGH-RO-M32	



高结构/High construction




下壳底座 / Housings


外壳底座: 开孔安装 Bulkhead mounted




螺纹 Thread	型号/Type	订货号 /Part Number
	G10B-AG-LB	
带保护盖/with protection cover		
	G10B-AD-LB	
上壳保护盖/protection cover		
	G10B-KDT-LB	

外壳底座: 表面安装
Surface mounted: Side entry

螺纹 Thread	型号/Type	订货号 /Part Number
1个进线孔1 side entry		
PG16	G10B-SGR-LB-PG16	
M20	G10B-SGR-LB-M20	
M25	G10B-SGR-LB-M25	
2个进线孔2 side entry		
PG16	G10B-SGR-LB-2PG16	
M20	G10B-SGR-LB-2M20	
M25	G10B-SGR-LB-2M25	
高结构 / High construction		
1个进线孔1 side entry		
PG21	G10B-SGRH-LB-PG21	
PG29	G10B-SGRH-LB-PG29	
M32	G10B-SGRH-LB-M32	
2个进线孔2 side entry		
PG21	G10B-SGRH-LB-2PG21	
PG29	G10B-SGRH-LB-2PG29	
M32	G10B-SGRH-LB-2M32	



高结构 / High construction



G10B带单扣外壳 / G10B with 1 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037

防护等级 Degree of protection : IP65

下壳底座 / Housings

带保护盖表面安装
Surface mounted with protection cover




电缆对接下壳 Cable-to-cable hood




螺纹 Thread	型号/Type	订货号 /Part Number
带保护盖 /ith protection cover		
1个进线孔1 side entry		
PG16	G10B-SDR-LB-PG16	
M20	G10B-SDR-LB-M20	
M25	G10B-SDR-LB-M25	
2个进线孔2 side entry		
PG16	G10B-SDR-LB-2PG16	
M20	G10B-SDR-LB-2M20	
M25	G10B-SDR-LB-2M25	
高结构 / High construction		
1个进线孔1 side entry		
PG21	G10B-SDRH-LB-PG21	
PG29	G10B-SDRH-LB-PG29	
M32	G10B-SDRH-LB-M32	
2个进线孔2 side entry		
PG21	G10B-SDRH-LB-2PG21	
PG29	G10B-SDRH-LB-2PG29	
M32	G10B-SDRH-LB-2M32	


螺纹 Thread	型号/Type	订货号 /Part Number
PG16	G10B-TBF-LB-PG16	
M20	G10B-TBF-LB-M20	
M25	G10B-TBF-LB-M25	
高结构 / High construction		
PG21	G10B-TBFH-LB-PG21	
PG29	G10B-TBFH-LB-PG29	
M25	G10B-TBFH-LB-M25	
M32	G10B-TBFH-LB-M32	



高结构 / High construction



高结构 / High construction



G10B 耐腐蚀外壳 Metal Hoods & Housings For higher environmental requirements



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 9005 / Powder-coated,RAL 9005


防护等级 Degree of protection : IP65

上壳 / Hoods


侧面进线 Side entry



螺纹 Thread	型号/Type	订货号 /Part Number
M20	G10B-TS-M-M20	
PG16	G10B-TS-M-PG16	

侧出线高结构
side entry, high construction


螺纹 Thread	型号/Type	订货号 /Part Number
M25	G10B-TSH-M-M25	




顶部进线 Top entry



螺纹 Thread	型号/Type	订货号 /Part Number
M20	G10B-TG-M-M20	
PG16	G10B-TG-M-PG16	

顶出线高结构
top entry,high construction

螺纹 Thread	型号/Type	订货号 /Part Number
M32	G10B-TGH-M-M32	




下壳底座 / Housings

电缆对接下壳 Cable-to-cable hood




螺纹 Thread	型号/Type	订货号 /Part Number
PG16	G10B-TBF-M-PG16	



外壳底座: 开孔安装 Bulkheadmounted



螺纹 Thread	型号/Type	订货号 /Part Number
---	G10B-AG-M	



G10B 耐腐蚀外壳 Metal Hoods & Housings For higher environmental requirements



底部外壳安装开孔尺寸/Housing mounting dimensionsPAGE/390

表面粉末镀层, RAL 9005 / Powder-coated,RAL 9005


防护等级 Degree of protection : IP65

下壳底座 / Housings


外壳底座: 表面安装 Surface mounted: Side entry



螺纹 Thread	型号/Type	订货号 /Part Number
PG16	G10B-SGR-M-PG16	
M20	G10B-SGR-M-M20	

外壳底座: 表面安装
Surface mounted: Side entry


螺纹 Thread	型号/Type	订货号 /Part Number
M32	G10B-SGRH-M-M32	



上壳保护盖 Protection covers for hoods




螺纹 Thread	型号/Type	订货号 /Part Number
	金属盖/用于上壳 For hoods	
	G10B-KDT-LA-M-1	
	金属盖/用于下壳 For housings	
	G10B-KDT-LA-M-2	



底座保护盖 Housing protection cover



螺纹 Thread	型号/Type	订货号 /Part Number
---	金属盖/用于上壳 For hoods	
	G10B-KDB-LA-M-1	
	金属盖/用于下壳 For housings	
	G10B-KDB-LA-M-2	




上壳 / Hoods

防护等级 Degree of protection : IP65 单扣

顶部进线 Top entry




螺纹 Thread	型号/Type	订货号 /Part Number
M32	G10B-TGH-RO-M-M32	



下壳底座 / Housings

外壳底座: 表面安装
Surface mounted: Side entry

螺纹 Thread	型号/Type	订货号 /Part Number
M25	G10B-SGRH-LB-M-M25	



GE-016接插体 / GE-016 inserts



芯件适配用G16B外壳

Inserts suit for G16B hoods/housing

16+

直插压接/ straight crimping


500V max.16A



插芯/Inserts	型号/Type	订货号/Part Number
公 Male	GE-016-MZ	
母 Female	GE-016-FZ	
公 Male	GE-016-MZN(尼龙)	
母 Female	GE-016-FZN(尼龙)	


1) 接插体之间的最大距离21mm

1) Distance for contact max.21mm




接插针排序

Contacts arrangement view from termination side



面板安装开孔图

Panel cut out for inserts for use without Hoods/housings



管形预绝缘端头




EV_ _ _

极限工作温度:105℃, Ui: 300V

端头材质: 紫铜管

绝缘材料: 乙烯基



型号	订货号	包装数	导线截面 (mm ²)	预绝缘端 头色标	尺寸(mm)				
					F	L	D	d	W
EV0.5-10	5570103	1000	0.5	(WH)	10.0	16.0	1.3	1.0	2.6
EV0.75-10	5570107	1000	0.75	(BU)	10.0	16.4	1.5	1.2	2.8
EV1-10	5570111	1000	1.0	(RD)	10.0	16.4	1.7	1.4	3
EV1.5-10	5570114	1000	1.5	(BK)	10.0	16.4	2.0	1.7	3.5
EV2.5-10	5570118	1000	2.5	(GY)	10.0	17.4	2.6	2.2	4



型号	压接范围	订货号
CE-501	0.08~6.0mm ² (可调节压接范围)	3 954 100



型号	压接范围	订货号
CE-502	0.5~6.0mm ²	3 954 101

G16B 双扣外壳 /G16B with 2 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037

防护等级 Degree of protection : IP65

上壳 / Hoods


侧面进线 Side entry



螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G16B-TS-PG21	
M25	G16B-TS-M25	
M32	G16B-TS-M32	

高结构/High construction

PG21	G16B-TSH-PG21	
PG29	G16B-TSH-PG29	
M25	G16B-TSH-M25	
M32	G16B-TSH-M32	
M40	G16B-TSH-M40	



高结构/High construction


顶部进线 Top entry



螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G16B-TG-PG21	
M25	G16B-TG-M25	
M32	G16B-TG-M32	

高结构/High construction

PG21	G16B-TGH-PG21	
PG29	G16B-TGH-PG29	
M25	G16B-TGH-M25	
M32	G16B-TGH-M32	
M40	G16B-TGH-M40	
2个进线孔 2 side entry		
PG16	G16B-TGH-2PG16	
PG21	G16B-TGH-2PG21	
M25	G16B-TGH-2M25	



高结构/High construction

上壳侧出线/顶出线


Hoods, side & top entry, high construction



我司可提供顶部、侧面同时出线的非标品

We can provide non-standard products with both top & side entry

型号为: G16B-TSH/TGH-PG/M 如有需要请与我司联系



上壳保护盖 Protection covers for hoods



螺纹 Thread	型号/Type	订货号 /Part Number
	G16B-KDT	


带金属保护盖/With protection cover

金属盖/用于上壳 For hoods

	G16B-KD T-LA-1	
--	----------------	--

金属盖/用于下壳 For housings


	G16B-KD T-LA-2	
--	----------------	--



下壳底座 / Housings

外壳底座: 开孔安装
Bulkhead mounted

螺纹 Thread	型号/Type	订货号 /Part Number
	G16B-AG	



G16B 双扣外壳 /G16B with 2 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390


表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037

防护等级 Degree of protection : IP65


下壳底座 / Housings

外壳底座: 表面安装
Surface mounted: Side entry

螺纹 Thread	型号/Type	订货号 /Part Number
1个进线孔 1 side entry		
PG21	G16B-SGR-PG21	
M25	G16B-SGR-M25	
2个进线孔 2 side entry		
PG21	G16B-SGR-2PG21	
M25	G16B-SGR-2M25	
高结构/High construction		
PG29	G16B-SGRH-PG29	
M32	G16B-SGRH-M32	
M40	G16B-SGRH-M40	
2个进线孔 2 side entry		
PG29	G16B-SGRH-2PG29	
M32	G16B-SGRH-2M32	
M40	G16B-SGRH-2M40	




高结构/High construction




电缆对接下壳 Cable-to-cable hood



螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G16B-TBF-PG21	
M25	G16B-TBF-M25	
M32	G16B-TBF-M32	
高结构/High construction		
PG21	G16B-TBFH-PG21	
PG29	G16B-TBFH-PG29	
M25	G16B-TBFH-M25	
M32	G16B-TBFH-M32	




高结构/High construction



底座保护盖 Housing protection cover



螺纹 Thread	型号/Type	订货号 /Part Number
	G16B-KDB	
金属保护盖 /With protection cover		
金属盖/用于上壳 For hoods		
	G16B-KDB-LA-1	
金属盖/用于下壳 For housings		
	G16B-KDB-LA-2	



G16B 双扣外壳 /G16B with 2 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037

防护等级 Degree of protection : IP65


上壳 / Hoods

侧出带双扣下壳

Side entry housing with two levers



螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G16B-TSBH-PG21	
M25	G16B-TSBH-M25	
M32	G16B-TSBH-M32	
高结构/High construction		
PG21	G16B-TSBH-PG21	
PG29	G16B-TSBH-PG29	
M25	G16B-TSBH-M25	
M32	G16B-TSBH-M32	




顶出带双扣下壳

Top entry housing with two levers



螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G16B-TGBH-PG21	
M25	G16B-TGBH-M25	
M32	G16B-TGBH-M32	
高结构/High construction		
PG21	G16B-TGBH-PG21	
PG29	G16B-TGBH-PG29	
M25	G16B-TGBH-M25	
M32	G16B-TGBH-M32	




双扣带盖开孔底座

Bulkhead mounting with hoods



螺纹 Thread	型号/Type	订货号 /Part Number
	G16B-AG-BO	
带保护盖/with protection cover		
	G16B-AD-BO	
带金属保护盖/with protection cover		
	G16B-AD-AL-BO	




下壳底座 / Housings

双扣带盖表面安装底座

Surface mounting with hoods



螺纹 Thread	型号/Type	订货号 /Part Number
1个进线孔 1 side entry		
PG21	G16B-SDR-BO-PG21	
M25	G16B-SDR-BO-M25	
2个进线孔 2 side entry		
PG21	G16B-SDR-BO-2PG21	
M25	G16B-SDR-BO-2M25	
高结构/High construction		
1个进线孔 1 side entry		
PG21	G16B-SDRH-BO-PG21	
PG29	G16B-SDRH-BO-PG29	
M32	G16B-SDRH-BO-M32	
2个进线孔 2 side entry		
PG21	G16B-SDRH-BO-2PG21	
PG29	G16B-SDRH-BO-2PG29	
M32	G16B-SDRH-BO-2M32	



G16B单扣外壳 /G16B with 1 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037

防护等级 Degree of protection : IP65

上壳 / Hoods

侧面进线 Side entry



螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G16B-TS-RO-PG21	
M25	G16B-TS-RO-M25	
M32	G16B-TS-RO-M32	



高结构/High construction		
PG21	G16B-TSH-RO-PG21	
PG29	G16B-TSH-RO-PG29	
M25	G16B-TSH-RO-M25	
M32	G16B-TSH-RO-M32	
M40	G16B-TSH-RO-M40	


高结构/High construction



顶部进线 Top entry




螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G16B-TG-RO-PG21	
M25	G16B-TG-RO-M25	
M32	G16B-TG-RO-M32	



高结构/High construction		
PG21	G16B-TGH-RO-PG21	
PG29	G16B-TGH-RO-PG29	
M25	G16B-TGH-RO-M25	
M32	G16B-TGH-RO-M32	
M40	G16B-TGH-RO-M40	

高结构/High construction




下壳底座 / Housings

外壳底座: 开孔安装 Bulkhead mounted



螺纹 Thread	型号/Type	订货号 /Part Number
	G16B-AG-LB	
	带保护盖/ith protection cover	
	G16B-AD-LB	
	上壳保护盖/protection cover	
	G16B-KDT-LB	

面板开孔图
Panel cut out

G16B单扣外壳 /G16B with 1 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037


防护等级 Degree of protection : IP65

下壳底座 / Housings

外壳底座: 表面安装
Surface mounted: Side entry



螺纹 Thread	型号/Type	订货号 /Part Number
1个进线孔1 side entry		
PG21	G16B-SGR-LB-PG21	
M25	G16B-SGR-LB-M25	
2个进线孔2 side entry		
2PG21	G16B-SGR-LB-2PG21	
2M25	G16B-SGR-LB-2M25	
高结构 / High construction		
1个进线孔1 side entry		
PG21	G16B-SGRH-LB-PG21	
PG29	G16B-SGRH-LB-PG29	
M32	G16B-SGRH-LB-M32	
2个进线孔2 side entry		
PG21	G16B-SGRH-LB-2PG21	
PG29	G16B-SGRH-LB-2PG29	
M32	G16B-SGRH-LB-2M32	




下壳底座 / Housings

带盖表面安装底座 Surface mounting




螺纹 Thread	型号/Type	订货号 /Part Number
1个进线孔1 side entry		
PG21	G16B-SDR-LB-PG21	
M25	G16B-SDR-LB-M25	
2个进线孔2 side entry		
2PG21	G16B-SDR-LB-2PG21	
2M25	G16B-SDR-LB-2M25	
高结构 / High construction		
1个进线孔1 side entry		
PG21	G16B-SDRH-LB-PG21	
PG29	G16B-SDRH-LB-PG29	
M32	G16B-SDRH-LB-M32	
2个进线孔2 side entry		
PG21	G16B-SDRH-LB-2PG21	
PG29	G16B-SDRH-LB-2PG29	
M32	G16B-SDRH-LB-2M32	



电缆对接下壳 Cable-to-cable hood



螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G16B-TBF-LB-PG21	
M25	G16B-TBF-LB-M25	
M32	G16B-TBF-LB-M32	
高结构 / High construction		
PG21	G16B-TBFH-LB-PG21	
PG29	G16B-TBFH-LB-PG29	
M32	G16B-TBFH-LB-M32	
M40	G16B-TBFH-LB-M40	



G16B 耐腐蚀外壳 Metal Hoods & Housings For higher environmental requirements



底部外壳安装开孔尺寸/Housing mounting dimensionsPAGE/390

表面粉末镀层, RAL 9005 / Powder-coated,RAL 9005


防护等级 Degree of protection : IP65

上壳 / Hoods

侧面进线 Side entry




螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G16B-TS-M-PG21	
M25	G16B-TS-M-M25	



侧出线高结构
side entry,high construction




螺纹 Thread	型号/Type	订货号 /Part Number
PG29	G16B-TSH-M-PG29	
M32	G16B-TSH-M-M32	
M40	G16B-TSH-M-M40	



顶部进线 Top entry




螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G16B-TG-M-PG21	
M25	G16B-TG-M-M25	



顶出线高结构
top entry,high construction



螺纹 Thread	型号/Type	订货号 /Part Number
PG29	G16B-TGH-M-PG29	
M32	G16B-TGH-M-M32	




下壳底座 / Housings

外壳底座:开孔安装
Bulkhead mounted




螺纹 Thread	型号/Type	订货号 /Part Number
---	G16B-AG-M	



外壳底座: 表面安装
Surface mounted: Side entry



螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G16B-SGR-M-PG21	
M25	G16B-SGR-M-M25	





底部外壳安装开孔尺寸/Housing mounting dimensionsPAGE/390

表面粉末镀层, RAL 9005 / Powder-coated,RAL 9005

防护等级 Degree of protection : IP65


下壳底座 / Housings

封底下壳高结构

Housings, surface mounting, high construction




螺纹 Thread	型号/Type	订货号 /Part Number
2PG29	G16B-SGRH-M-2PG29	
2M32	G16B-SGRH-M-2M32	
2M40	G16B-SGRH-M-2M40	



电缆对接下壳 Cable-to-cable hood




螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G16B-TBF-M-PG21	



底座保护盖 Housing protection cover




螺纹 Thread	型号/Type	订货号 /Part Number
	金属盖/用于上壳 For hoods	
	金属盖/用于下壳 For housings	



上壳保护盖 Protection covers for hoods



螺纹 Thread	型号/Type	订货号/Part Number
	金属盖/用于上壳 For hoods	
	金属盖/用于下壳 For housings	



GE-024接插体 /GE-024 inserts



芯件适配用G24B外壳

Inserts suit for G24B hoods/housing

24+

直插压接/ straight crimping


500V max.16A



插芯/Inserts	型号/Type	订货号/Part Number
公 Male	GE-024-MZ	
母 Female	GE-024-FZ	
公 Male	GE-024-MZN(尼龙)	
母 Female	GE-024-FZN(尼龙)	

1) 接插体之间的最大距离21mm


1) Distance for contact max.21mm



	a	b	e	g	c	d	f	m
MZ/FZ	17.4	34.5	111	34	17.2	36.7	111.5	34


接插针排序

Contacts arrangement view from termination side



面板安装开孔图

Panel cut out for inserts for use without Hoods/housings



管形预绝缘端头




EV_ _ _

极限工作温度:105℃, Ui: 300V

端头材质: 紫铜管

绝缘材料: 乙烯基



型号	订货号	包装数	导线截面 (mm ²)	预绝缘端 头色标	尺寸(mm)				
					F	L	D	d	W
EV0.5-10	5570103	1000	0.5	(WH)	10.0	16.0	1.3	1.0	2.6
EV0.75-10	5570107	1000	0.75	(BU)	10.0	16.4	1.5	1.2	2.8
EV1-10	5570111	1000	1.0	(RD)	10.0	16.4	1.7	1.4	3
EV1.5-10	5570114	1000	1.5	(BK)	10.0	16.4	2.0	1.7	3.5
EV2.5-10	5570118	1000	2.5	(GY)	10.0	17.4	2.6	2.2	4



型号	压接范围	订货号
CE-501	0.08~6.0mm ² (可调节压接范围)	3 954 100



型号	压接范围	订货号
CE-502	0.5~6.0mm ²	3 954 101

G24B 双扣外壳 /G24B with 2 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037

防护等级 Degree of protection : IP65

上壳 / Hoods


侧面进线 Side entry



螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G24B-TS-PG21	
M25	G24B-TS-M25	
M32	G24B-TS-M32	



高结构/High construction		
PG21	G24B-TSH-PG21	
PG29	G24B-TSH-PG29	
M25	G24B-TSH-M25	
M32	G24B-TSH-M32	
M40	G24B-TSH-M40	




顶部进线 Top entry



螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G24B-TG-PG21	
M25	G24B-TG-M25	
M32	G24B-TG-M32	




高结构/High construction		
PG21	G24B-TGH-PG21	
PG29	G24B-TGH-PG29	
M25	G24B-TGH-M25	
M32	G24B-TGH-M32	
M40	G24B-TGH-M40	
2个进线孔 2 side entry		
PG16	G24B-TGH-2PG16	
PG21	G24B-TGH-2PG21	
M25	G24B-TGH-2M25	

上壳侧出线/顶出线
Hoods, side&top entry, high construction

我司可提供顶部、侧面同时出线的非标品
We can provide non-standard products with both top&side entry


型号为:G24B-TSH/TGH-PG/M 如有需要请与我司联系



上壳保护盖 Protection covers for hoods




螺纹 Thread	型号/Type	订货号 /Part Number
	G24B-KDT	
带金属保护盖/With protection cover		
金属盖/用于上壳 For hoods		
	G24B-KDT-LA-1	
金属盖/用于下壳 For housings		
	G24B-KDT-LA-2	



下壳底座 / Housings

外壳底座开孔安装
Bulkhead mounted

螺纹 Thread	型号/Type	订货号 /Part Number
	G24B-AG	



G24B 双扣外壳 /G24B with 2 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390


表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037

防护等级 Degree of protection : IP65

下壳底座 / Housings

外壳底座: 表面安装
Surface mounted: Side entry


螺纹 Thread	型号/Type	订货号 /Part Number
1个进线孔 1 side entry		
PG21	G24B-SGR-PG21	
M25	G24B-SGR-M25	
2个进线孔 2 side entry		
PG21	G24B-SGR-2PG21	
M25	G24B-SGR-2M25	
高结构/High construction		
PG21	G24B-SGRH-PG21	
PG29	G24B-SGRH-PG29	
M32	G24B-SGRH-M32	
M40	G24B-SGRH-M40	
2个进线孔 2 side entry		
PG21	G24B-SGRH-2PG21	
PG29	G24B-SGRH-2PG29	
M32	G24B-SGRH-2M32	
M40	G24B-SGRH-2M40	




电缆对接下壳 Cable-to-cable hood



螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G24B-TBF-PG21	
M25	G24B-TBF-M25	
M32	G24B-TBF-M32	
高结构/High construction		
PG21	G24B-TBFH-PG21	
PG29	G24B-TBFH-PG29	
M32	G24B-TBFH-M32	
M40	G24B-TBFH-M40	

底座保护盖
Housing protection cover

螺纹 Thread	型号/Type	订货号 /Part Number
	G24B-KDB	
金属保护盖 / With protection cover		
---	金属盖/用于上壳 For hoods	
	G24B-KDB-LA-1	
金属盖/用于下壳 For housings		
	G24B-KDB-LA-2	



G24B 双扣外壳 /G24B with 2 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390


表面粉末镀层, RAL 7037 / Powder-coated,RAL 7037

防护等级 Degree of protection : IP65


上壳 / Hoods

侧出带双扣下壳
Side entry housing with two levers


螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G24B-TSB-PG21	
M25	G24B-TSB-M25	
M32	G24B-TSB-M32	
高结构/High construction		
PG21	G24B-TSBH-PG21	
PG29	G24B-TSBH-PG29	
M25	G24B-TSBH-M25	
M32	G24B-TSBH-M32	
M40	G24B-TSBH-M40	

顶出带双扣下壳
Top entry housing with two levers

螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G24B-TGB-PG21	
M25	G24B-TGB-M25	
M32	G24B-TGB-M32	
高结构/High construction		
PG21	G24B-TGBH-PG21	
PG29	G24B-TGBH-PG29	
M25	G24B-TGBH-M25	
M32	G24B-TGBH-M32	
M40	G24B-TGBH-M40	

双扣带盖开孔底座
Bulkhead mounting with hoods


螺纹 Thread	型号/Type	订货号 /Part Number
	G24B-AG-BO	
带保护盖/with protection cover		
	G24B-AD-BO	
带金属保护盖/with protection cover		
	G24B-AD-LA-BO	



下壳底座 / Housings

双扣带盖表面安装底座
Surface mounting with hoods

螺纹 Thread	型号/Type	订货号 /Part Number
带保护盖/with protection cover		
1个进线孔 1 side entry		
PG21	G24B-SDR-BO-PG21	
M25	G24B-SDR-BO-M25	
2个进线孔 2 side entry		
PG21	G24B-SDR-BO-2PG21	
M25	G24B-SDR-BO-2M25	
高结构/High construction		
1个进线孔 1 side entry		
PG21	G24B-SDRH-BO-PG21	
PG29	G24B-SDRH-BO-PG29	
M32	G24B-SDRH-BO-M32	
M40	G24B-SDRH-BO-M40	
2个进线孔 2 side entry		
PG21	G24B-SDRH-BO-2PG21	
PG29	G24B-SDRH-BO-2PG29	
M32	G24B-SDRH-BO-2M32	
M40	G24B-SDRH-BO-2M40	



G24B单扣外壳 /G24B with 1 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037


防护等级 Degree of protection : IP65

上壳 / Hoods

侧面进线 Side entry




螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G24B-TS-RO-PG21	
M25	G24B-TS-RO-M25	
M32	G24B-TS-RO-M32	
高结构/High construction		
PG21	G24B-TSH-RO-PG21	
PG29	G24B-TSH-RO-PG29	
M25	G24B-TSH-RO-M25	
M32	G24B-TSH-RO-M32	
M40	G24B-TSH-RO-M40	



顶部进线 Top entry



螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G24B-TG-RO-PG21	
PG29	G24B-TG-RO-PG29	
M25	G24B-TG-RO-M25	
M32	G24B-TG-RO-M32	
高结构/High construction		
PG21	G24B-TGH-RO-PG21	
PG29	G24B-TGH-RO-PG29	
PG36	G24B-TGH-RO-PG36	
M25	G24B-TGH-RO-M25	
M32	G24B-TGH-RO-M32	
M40	G24B-TGH-RO-M40	




下壳底座 / Housings


外壳底座: 开孔安装 Bulkhead mounted



螺纹 Thread	型号/Type	订货号 /Part Number
	G24B-AG-LB	
带保护盖/ith protection cover		
	G24B-AD-LB	
上壳保护盖/protection cover		
	G24B-KDT-LB	

外壳底座: 表面安装
Surface mounted: Side entry

螺纹 Thread	型号/Type	订货号 /Part Number
1个进线孔1 side entry		
PG21	G24B-SGR-LB-PG21	
M25	G24B-SGR-LB-M25	
2个进线孔2 side entry		
2PG21	G24B-SGR-LB-2PG21	
2M25	G24B-SGR-LB-2M25	
高结构 / High construction		
1个进线孔1 side entry		
PG21	G24B-SGRH-LB-PG21	
PG29	G24B-SGRH-LB-PG29	
M32	G24B-SGRH-LB-M32	
M40	G24B-SGRH-LB-M40	
2个进线孔2 side entry		
PG21	G24B-SGRH-LB-2PG21	
PG29	G24B-SGRH-LB-2PG29	
M32	G24B-SGRH-LB-2M32	
M40	G24B-SGRH-LB-2M40	



G24B单扣外壳 /G24B with 1 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390


表面粉末镀层，RAL 7037 / Powder-coated,RAL 7037

防护等级 Degree of protection : IP65

上壳 / Hoods


带盖表面安装底座 Surface mounting

螺纹 Thread	型号/Type	订货号 /Part Numder
带保护盖/With protection cover		
1个进线孔1 side entry		
PG21	G24B-SDR-LB-PG21	
M25	G24B-SDR-LB-M25	
2个进线孔2 side entry		
2PG21	G24B-SDR-LB-2PG21	
2M25	G24B-SDR-LB-2M25	
高结构 / High construction		
1个进线孔1 side entry		
PG21	G24B-SDRH-LB-PG21	
PG29	G24B-SDRH-LB-PG29	
M32	G24B-SDRH-LB-M32	
2个进线孔2 side entry		
PG21	G24B-SDRH-LB-2PG21	
PG29	G24B-SDRH-LB-2PG29	
M32	G24B-SDRH-LB-2M32	
带金属保护盖/With metal protective cover		
1个进线孔1 side entry		
PG21	G24B-SDR-LB-LA-PG21	
M25	G24B-SDR-LB-LA-M25	
2个进线孔2 side entry		
2PG21	G24B-SDR-LB-LA-2PG21	
2M25	G24B-SDR-LB-LA-2M25	
高结构 / High construction		
1个进线孔1 side entry		
PG21	G24B-SDRH-LB-LA-PG21	
PG29	G24B-SDRH-LB-LA-PG29	
M32	G24B-SDRH-LB-LA-M32	
2个进线孔2 side entry		
PG21	G24B-SDRH-LB-LA-2PG21	
PG29	G24B-SDRH-LB-LA-2PG29	
M32	G24B-SDRH-LB-LA-2M32	



电缆对接下壳 Cable-to-cable hood

螺纹 Thread	型号/Type	订货号 /Part Numder
PG21	G24B-TBF-LB-PG21	
PG29	G24B-TBF-LB-PG29	
M25	G24B-TBF-LB-M25	
M32	G24B-TBF-LB-M32	
高结构 / High construction		
PG21	G24B-TBFH-LB-PG21	
PG29	G24B-TBFH-LB-PG29	
M32	G24B-TBFH-LB-M32	
M40	G24B-TBFH-LB-M40	



G24B 耐腐蚀外壳 Metal Hoods & Housings For higher environmental requirements



底部外壳安装开孔尺寸/Housing mounting dimensionsPAGE/390

表面粉末镀层, RAL 9005 / Powder-coated,RAL 9005


防护等级 Degree of protection : IP65

上壳 / Hoods


侧出线 side entry



螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G24B-TS-M-PG21	
M25	G24B-TS-M-M25	

侧出线高结构
side entry,high construction


螺纹 Thread	型号/Type	订货号 /Part Number
	高结构 / High construction	
PG29	G24B-TSH-M-PG29	
M32	G24B-TSH-M-M32	
M40	G24B-TSH-M-M40	




顶出线 top entry



螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G24B-TG-M-PG21	
M25	G24B-TG-M-M25	

顶出线高结构
top entry,high construction


螺纹 Thread	型号/Type	订货号 /Part Number
	高结构 / High construction	
PG29	G24B-TGH-M-PG29	
M32	G24B-TGH-M-M32	



下壳底座 / Housings

不封底下壳
Housings, bulkhead mounting


螺纹 Thread	型号/Type	订货号 /Part Number
---	G24B-AG-M	



封底下壳 Housings, surface mounting



螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G24B-SGR-M-PG21	
M25	G24B-SGR-M-M25	



G24B耐腐蚀外壳 Metal Hoods & Housings For higher environmental requirements



底部外壳安装开孔尺寸/Housing mounting dimensionsPAGE/390

表面粉末镀层，RAL 9005 / Powder-coated,RAL 9005


防护等级 Degree of protection : IP65

下壳底座 / Housings

封底下壳高结构
Housings, surface mounting, high construction




螺纹 Thread	型号/Type	订货号 /Part Number
2PG29	G24B-SGRH-M-2PG29	
2M32	G24B-SGRH-M-2M32	
2M40	G24B-SGRH-M-2M40	



电缆对接下壳 Cable-to-cable hood




螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G24B-TBF-M-PG21	



底座保护盖 Housing protection cover




螺纹 Thread	型号/Type	订货号 /Part Number
	金属盖/用于上壳 For hoods	
	G24B-KDB-LA-M-1	
	金属盖/用于下壳 For housings	
	G24B-KDB-LA-M-2	



上壳保护盖 Protection covers for hoods



螺纹 Thread	型号/Type	订货号 /Part Number
	金属盖/用于上壳 For hoods	
	G24B-KDT-LA-M-1	
	金属盖/用于下壳 For housings	
	G24B-KDT-LA-M-2	





Inserts suit for G32B hoods/housing

32+  (16X2)

500V max.16A(16x2)




插芯/Inserts	型号/Type	订货号/Part Number
公 Male	GE-016-MZ(1-16)	
母 Female	GE-016-FZ(1-16)	
公 Male	GE-016-MZN(1-16)(尼龙)	
母 Female	GE-016-FZN(1-16)(尼龙)	
公 Male	GE-016-MZ(17-32)	
母 Female	GE-016-FZ(17-32)	
公 Male	GE-016-MZN(17-32)(尼龙)	
母 Female	GE-016-FZN(17-32)(尼龙)	




	a	b	e	g	c	d	f	m
MZ/FZ	17.4	34.5	84.5	34	17.2	36.8	84.5	34


Contacts arrangement view from termination side



Panel cut out for inserts for use without Hoods/housings



绝缘材料: 乙烯基



型号	订货号	包装数	导线截面 (mm²)	预绝缘端 头色标	尺寸(mm)				
					F	L	D	d	W
EV0.5-10	5570103	1000	0.5	(WH)	10.0	16.0	1.3	1.0	2.6
EV0.75-10	5570107	1000	0.75	(BU)	10.0	16.4	1.5	1.2	2.8
EV1-10	5570111	1000	1.0	(RD)	10.0	16.4	1.7	1.4	3
EV1.5-10	5570114	1000	1.5	(BK)	10.0	16.4	2.0	1.7	3.5
EV2.5-10	5570118	1000	2.5	(GY)	10.0	17.4	2.6	2.2	4



型号	压接范围	订货号
CE-501	0.08~6.0mm ² (可调节压接范围)	3 954 100



型号	压接范围	订货号
CE-502	0.5~6.0mm ²	3 954 101

G32B带双扣外壳/G32B with 2 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensionsPAGE/390

表面粉末镀层, RAL 7037 / Powder-coated,RAL 7037


注:上壳高结构和低结构是通用型结构

上壳 / Hoods


外壳上壳: 侧面进线 Hood: Side entry




螺纹 Thread	型号/Type	订货号 /Part Number
PG29	G32B-TS-PG29	
PG36	G32B-TS-PG36	
PG42	G32B-TS-PG42	
M32	G32B-TS-M32	
M40	G32B-TS-M40	
M50	G32B-TS-M50	

外壳上壳: 顶部进线
Hood: Top entry


螺纹 Thread	型号/Type	订货号 /Part Number
PG29	G32B-TG-PG29	
PG36	G32B-TG-PG36	
PG42	G32B-TG-PG42	
M32	G32B-TG-M32	
M40	G32B-TG-M40	
M50	G32B-TG-M50	



上壳保护盖 Protection covers for hoods




螺纹 Thread	型号/Type	订货号 /Part Number
	G32B-KDT-LA-1	




下壳底座 / Housings

外壳底座: 开孔安装
Bulkhead mounted: Bottom entry


螺纹 Thread	型号/Type	订货号 /Part Number
	G32B-AG	

外壳底座: 表面安装
Surface mounted: Side entry

螺纹 Thread	型号/Type	订货号 /Part Number
1个进线孔1 side entry		
PG29	G32B-SGR-PG29	
PG36	G32B-SGR-PG36	
PG42	G32B-SGR-PG42	
M32	G32B-SGR-M32	
M40	G32B-SGR-M40	
2个进线孔2 side entry		
PG29	G32B-SGR-2PG29	
PG36	G32B-SGR-2PG36	
PG42	G32B-SGR-2PG42	
M32	G32B-SGR-2M32	
M40	G32B-SGR-2M40	

电缆对接下壳
Cable-to-cable hood

螺纹 Thread	型号/Type	订货号 /Part Number
PG29	G32B-TBF-PG29	
PG36	G32B-TBF-PG36	
PG42	G32B-TBF-PG42	
M32	G32B-TBF-M32	
M40	G32B-TBF-M40	
M50	G32B-TBF-M50	



G32B带双扣外壳/G32B with 2 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensionsPAGE/390

表面粉末镀层, RAL 7037 / Powder-coated,RAL 7037


注:上壳高结构和低结构是通用型结构

上壳 / Hoods

外壳上壳: 侧面进线 Hood: Side entry




螺纹 Thread	型号/Type	订货号 /Part Number
PG29	G32B-TSB-PG29	
M32	G32B-TSB-M32	



开孔安装 Bulkhead mounted




螺纹 Thread	型号/Type	订货号 /Part Number
PG29	G32B-TGB-PG29	
PG36	G32B-TGB-PG36	
PG42	G32B-TGB-PG42	
M32	G32B-TGB-M32	
M40	G32B-TGB-M40	
M50	G32B-TGB-M50	



开孔安装 Bulkhead mounted




螺纹 Thread	型号/Type	订货号 /Part Number
	G32B-AG-BO	



开孔安装 Bulkhead mounted




螺纹 Thread	型号/Type	订货号 /Part Number
1个进线孔1 side entry		
PG29	G32B-SGR-BO-PG29	
PG36	G32B-SGR-BO-PG36	
PG42	G32B-SGR-BO-PG42	
M32	G32B-SGR-BO-M32	
M40	G32B-SGR-BO-M40	
2个进线孔2 side entry		
PG29	G32B-SGR-BO-2PG29	
PG36	G32B-SGR-BO-2PG36	
PG42	G32B-SGR-BO-2PG42	
M32	G32B-SGR-BO-2M32	
M40	G32B-SGR-BO-2M40	



底座保护盖



螺纹 Thread	型号/Type	订货号 /Part Number
	G32B-KDB-LA-2	



G32B带单扣外壳 / G32B with 1 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037


注:上壳高结构和低结构是通用型结构

上壳 / Hoods


外壳上壳: 侧面进线 Hood: Side entry



螺纹 Thread	型号/Type	订货号 /Part Number
PG29	G32B-TS-RO-PG29	
PG36	G32B-TS-RO-PG36	
PG42	G32B-TS-RO-PG42	
M32	G32B-TS-RO-M32	
M40	G32B-TS-RO-M40	
M50	G32B-TS-RO-M50	

外壳上壳: 顶部进线
Hood: Top entry


螺纹 Thread	型号/Type	订货号 /Part Number
PG29	G32B-TG-RO-PG29	
PG36	G32B-TG-RO-PG36	
PG42	G32B-TG-RO-PG42	
M32	G32B-TG-RO-M32	
M40	G32B-TG-RO-M40	
M50	G32B-TG-RO-M50	




下壳底座 / Housings

外壳底座: 开孔安装
Bulkhead mounted: Bottom entry

螺纹 Thread	型号/Type	订货号 /Part Number
	G32B-AG-LB	
	带保护盖/With protection cover	
	G32B-AD-LB	

外壳底座: 表面安装
Surface mounted: Side entry

螺纹 Thread	型号/Type	订货号 /Part Number
	1个进线孔1 side entry	
PG29	G32B-SGR-LB-PG29	
M32	G32B-SGR-LB-M32	
	2个进线孔2 side entry	
PG29	G32B-SGR-LB-2PG29	
M32	G32B-SGR-LB-2M32	
	带保护盖/With protection cover	
	1个进线孔1 side entry	
PG29	G32B-SDR-LB-PG29	
M32	G32B-SDR-LB-M32	
	2个进线孔2 side entry	
PG29	G32B-SDR-LB-2PG29	
M32	G32B-SDR-LB-2M32	



Inserts suit for G48B hoods/housing


48+ (24X2)

500V max.16A




插芯/Inserts	型号/Type	订货号/Part Number
公 Male	GE-024-MZ(1-24)	
母 Female	GE-024-FZ(1-24)	
公 Male	GE-024-MZN(1-24)(尼龙)	
母 Female	GE-024-FZN(1-24)(尼龙)	
公 Male	GE-024-MZ(25-48)	
母 Female	GE-024-FZ(25-48)	
公 Male	GE-024-MZN(25-48)(尼龙)	
母 Female	GE-024-FZN(25-48)(尼龙)	

1) Distance for contact max.21mm




	a	b	e	g	c	d	f	m
MZ/FZ	17.4	34.5	111	34	17.2	36.7	111.5	34


Contacts arrangement view from termination side



Panel cut out for inserts for use without Hoods/housings



绝缘材料: 乙烯基



型号	订货号	包装数	导线截面 (mm²)	预绝缘端 头色标	尺寸(mm)				
					F	L	D	d	W
EV0.5-10	5570103	1000	0.5	(WH)	10.0	16.0	1.3	1.0	2.6
EV0.75-10	5570107	1000	0.75	(BU)	10.0	16.4	1.5	1.2	2.8
EV1-10	5570111	1000	1.0	(RD)	10.0	16.4	1.7	1.4	3
EV1.5-10	5570114	1000	1.5	(BK)	10.0	16.4	2.0	1.7	3.5
EV2.5-10	5570118	1000	2.5	(GY)	10.0	17.4	2.6	2.2	4



型号	压接范围	订货号
CE-501	0.08~6.0mm ² (可调节压接范围)	3 954 100



型号	压接范围	订货号
CE-502	0.5~6.0mm ²	3 954 101

G48B外壳 / G48B hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037


防护等级 Degree of protection : IP65

上壳 / Hoods

侧面进线 Hood: Side entry




螺纹 Thread	型号/Type	订货号 /Part Number
PG29	G48B-TS-RO-PG29	
PG36	G48B-TS-RO-PG36	
PG42	G48B-TS-RO-PG42	
M32	G48B-TS-RO-M32	
M40	G48B-TS-RO-M40	
M50	G48B-TS-RO-M50	



外壳上壳: 顶部进线 Hood: Top entry



螺纹 Thread	型号/Type	订货号 /Part Number
PG29	G48B-TG-RO-PG29	
PG36	G48B-TG-RO-PG36	
PG42	G48B-TG-RO-PG42	
M32	G48B-TG-RO-M32	
M40	G48B-TG-RO-M40	
M50	G48B-TG-RO-M50	




下壳底座 / Housings

外壳底座: 开孔安装
Bulkhead mounted: Bottom entry




螺纹 Thread	型号/Type	订货号 /Part Number
	G48B-AG-LB	
	带保护盖/With protection cover	
	G48B-AD-LB	



外壳底座: 表面安装
Surface mounted: Side entry



螺纹 Thread	型号/Type	订货号 /Part Number
1个进线孔1 side entry		
PG29	G48B-SGR-LB-PG29	
PG36	G48B-SGR-LB-PG36	
M32	G48B-SGR-LB-M32	
M40	G48B-SGR-LB-M40	
2个进线孔2 side entry		
PG29	G48B-SGR-LB-2PG29	
PG36	G48B-SGR-LB-2PG36	
M32	G48B-SGR-LB-2M32	
M40	G48B-SGR-LB-2M40	
	带保护盖/With protection cover	
1个进线孔1 side entry		
PG29	G48B-SDR-LB-PG29	
PG36	G48B-SDR-LB-PG36	
M32	G48B-SDR-LB-M32	
M40	G48B-SDR-LB-M40	
2个进线孔2 side entry		
PG29	G48B-SDR-LB-2PG29	
PG36	G48B-SDR-LB-2PG36	
M32	G48B-SDR-LB-2M32	
M40	G48B-SDR-LB-2M40	



GE-018接插体 / GE-018 inserts



芯件适配用G10B外壳

Inserts suit for G10B hoods/housing


500V max.16A

18+

冷压针压接/Crimp terminal



插芯/Inserts	型号/Type	订货号/Part Number
公 Male	GE-018-MBZ	
母 Female	GE-018-FBZ	



管形预绝缘端头




EV---

极限工作温度:105℃, U_i : 300V

端头材质: 紫铜管

绝缘材料: 乙烯基



型号	订货号	包装数	导线截面 (mm ²)	预绝缘端 头色标	尺寸(mm)				
					F	L	D	d	W
EV0.5-10	5570103	1000	0.5	(WH)	10.0	16.0	1.3	1.0	2.6
EV0.75-10	5570107	1000	0.75	(BU)	10.0	16.4	1.5	1.2	2.8
EV1-10	5570111	1000	1.0	(RD)	10.0	16.4	1.7	1.4	3
EV1.5-10	5570114	1000	1.5	(BK)	10.0	16.4	2.0	1.7	3.5
EV2.5-10	5570118	1000	2.5	(GY)	10.0	17.4	2.6	2.2	4



型号	压接范围	订货号
CE-501	0.08~6.0mm ² (可调节压接范围)	3 954 100



型号	压接范围	订货号
CE-502	0.5~6.0mm ²	3 954 101

G10B带双扣外壳 / G10B with 2 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037

防护等级 Degree of protection : IP65

上壳 / Hoods

侧面进线 Side entry




螺纹 Thread	型号/Type	订货号 /Part Number
PG16	G10B-TS-PG16	
M20	G10B-TS-M20	
M25	G10B-TS-M25	

高结构/High construction

PG21	G10B-TSH-PG21	
PG29	G10B-TSH-PG29	
M25	G10B-TSH-M25	
M32	G10B-TSH-M32	

高结构/High construction



顶部进线 Top entry



螺纹 Thread	型号/Type	订货号 /Part Number
PG16	G10B-TG-PG16	
M20	G10B-TG-M20	
M25	G10B-TG-M25	

高结构/High construction

PG21	G10B-TGH-PG21	
PG29	G10B-TGH-PG29	
M25	G10B-TG H-M25	
M32	G10B-TGH-M32	

高结构/High construction




上壳侧出线/顶出线
Hoods, side&top entry, high construction



我司可提供顶部、侧面同时出线的非标品
We can provide non-standard products with both top&side entry

型号为:G10-TSH/TGH-PG/M 如有需要请与我司联系



上壳保护盖 Protection covers for hoods



螺纹 Thread	型号/Type	订货号 /Part Number
	G10B-KDT	



带金属保护盖 /With protection cover

金属盖/用于上壳 For hoods

	G10B-KD T-LA-1	
--	----------------	--

金属盖/用于下壳 For housings

	G10B-KD T-LA-2	
--	----------------	--




下壳底座 / Housings

外壳底座: 开孔安装 Bulkhead mounted



螺纹 Thread	型号/Type	订货号 /Part Number
	G10B-AG	



G10B帶双扣外壳 / G10B with 2 lever on the hoods/housings

底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037


防护等级 Degree of protection : IP65

下壳底座 / Housings


外壳底座: 表面安装
Surface mounted: Side entry



螺纹 Thread	型号/Type	订货号 /Part Number
1个进线孔 1 side entry		
PG16	G10B-SGR-PG16	
M20	G10B-SGR-M20	
M25	G10B-SGR-M25	
2个进线孔 2 side entry		
PG16	G10B-SGR-2PG16	
M20	G10B-SGR-2M20	
M25	G10B-SGR-2M25	
高结构/High construction		
1个进线孔 1 side entry		
PG21	G10B-SGRH-PG21	
PG29	G10B-SGRH-PG29	
M32	G10B-SGRH-M32	
2个进线孔 2 side entry		
PG21	G10B-SGRH-2PG21	
PG29	G10B-SGRH-2PG29	
M32	G10B-SGRH-2M32	




高结构/High construction




电缆对接下壳 Cable-to-cable hood



螺纹 Thread	型号/Type	订货号 /Part Number
PG16	G10B-TBF-PG16	
M20	G10B-TBF-M20	
M25	G10B-TBF-M25	
高结构/High construction		
PG21	G10B-TBFH-PG21	
PG29	G10B-TBFH-PG29	
M25	G10B-TBFH-M25	
M32	G10B-TBFH-M32	





高结构/High construction



底座保护盖
Housing protection cover



螺纹 Thread	型号/Type	订货号 /Part Number
	G10B-KDB	
	带金属保护盖 /With protection cover	
---	金属盖/用于上壳 For hoods	
	G10B-KDB-LA-1	
	金属盖/用于下壳 For housings	
	G10B-KDB-LA-2	



G10B带双扣外壳 / G10B with 2 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037

防护等级 Degree of protection : IP65


上壳 / Hoods

侧出带双扣上壳

Side entry housing with two levers




螺纹 Thread	型号/Type	订货号 /Part Number
PG16	G10B-TSB-PG16	
M20	G10B-TSB-M20	
M25	G10B-TSB-M25	
高结构/High construction		
PG21	G10B-TSBH-PG21	
PG29	G10B-TSBH-PG29	
M25	G10B-TSBH-M25	
M32	G10B-TSBH-M32	



顶出带双扣上壳 Top entry housing with two levers



螺纹 Thread	型号/Type	订货号 /Part Number
PG16	G10B-TGB-PG16	
M20	G10B-TGB-M20	
M25	G10B-TGB-M25	
高结构/High construction		
PG21	G10B-TGBH-PG21	
PG29	G10B-TGBH-PG29	
M25	G10B-TGBH-M25	
M32	G10B-TGBH-M32	




下壳底座 / Housings

带盖开孔底座 Bulkhead mounting



螺纹 Thread	型号/Type	订货号 /Part Number
	G10B-AG-BO	
	带保护盖/ith protection cover	
	G10B-AD-BO	




下壳底座 / Housings

带盖表面安装底座 Surface mounting



螺纹 Thread	型号/Type	订货号 /Part Number
	带保护盖/with protection cover	
1个进线孔 1 side entry		
PG16	G10B-SDR-BO-PG16	
M20	G10B-SDR-BO-M20	
M25	G10B-SDR-BO-M25	
2个进线孔 2 side entry		
PG16	G10B-SDR-BO-2PG16	
M20	G10B-SDR-BO-2M20	
M25	G10B-SDR-BO-2M25	
高结构/High construction		
1个进线孔 1 side entry		
PG21	G10B-SDRH-BO-PG21	
PG29	G10B-SDRH-BO-PG29	
M32	G10B-SDRH-BO-M32	
2个进线孔 2 side entry		
PG21	G10B-SDRH-BO-2PG21	
PG29	G10B-SDRH-BO-2PG29	
M32	G10B-SDRH-BO-2M32	



G10B带单扣外壳 / G10B with 1 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037

防护等级 Degree of protection : IP65

上壳 / Hoods


侧面进线 Side entry




螺纹 Thread	型号/Type	订货号 /Part Number
PG16	G10B-TS-RO-PG16	
M20	G10B-TS-RO-M20	
M25	G10B-TS-RO-M25	



高结构/High construction		
PG21	G10B-TSH-RO-PG21	
PG29	G10B-TSH-RO-PG29	
M25	G10B-TSH-RO-M25	
M32	G10B-TSH-RO-M32	



高结构/High construction




顶部进线 Top entry




螺纹 Thread	型号/Type	订货号 /Part Number
PG16	G10B-TG-RO-PG16	
M20	G10B-TG-RO-M20	
M25	G10B-TG-RO-M25	



高结构/High construction		
PG21	G10B-TGH-RO-PG21	
PG29	G10B-TGH-RO-PG29	
M25	G10B-TGH-RO-M25	
M32	G10B-TGH-RO-M32	



高结构/High construction




下壳底座 / Housings


外壳底座: 开孔安装 Bulkhead mounted




螺纹 Thread	型号/Type	订货号 /Part Number
	G10B-AG-LB	
带保护盖/with protection cover		
	G10B-AD-LB	
上壳保护盖/protection cover		
	G10B-KDT-LB	

外壳底座: 表面安装
Surface mounted: Side entry

螺纹 Thread	型号/Type	订货号 /Part Number
1个进线孔1 side entry		
PG16	G10B-SGR-LB-PG16	
M20	G10B-SGR-LB-M20	
M25	G10B-SGR-LB-M25	
2个进线孔2 side entry		
PG16	G10B-SGR-LB-2PG16	
M20	G10B-SGR-LB-2M20	
M25	G10B-SGR-LB-2M25	
高结构 / High construction		
1个进线孔1 side entry		
PG21	G10B-SGRH-LB-PG21	
PG29	G10B-SGRH-LB-PG29	
M32	G10B-SGRH-LB-M32	
2个进线孔2 side entry		
PG21	G10B-SGRH-LB-2PG21	
PG29	G10B-SGRH-LB-2PG29	
M32	G10B-SGRH-LB-2M32	



高结构 / High construction



G10B带单扣外壳 / G10B with 1 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated,RAL 7037

防护等级 Degree of protection : IP65

下壳底座 / Housings

带保护盖表面安装
Surface mounted with protection cover





电缆对接下壳 Cable-to-cable hood



螺纹 Thread	型号/Type	订货号 /Part Number
带保护盖 /ith protection cover		
1个进线孔1 side entry		
PG16	G10B-SDR-LB-PG16	
M20	G10B-SDR-LB-M20	
M25	G10B-SDR-LB-M25	
2个进线孔2 side entry		
PG16	G10B-SDR-LB-2PG16	
M20	G10B-SDR-LB-2M20	
M25	G10B-SDR-LB-2M25	
高结构 / High construction		
1个进线孔1 side entry		
PG21	G10B-SDRH-LB-PG21	
PG29	G10B-SDRH-LB-PG29	
M32	G10B-SDRH-LB-M32	
2个进线孔2 side entry		
PG21	G10B-SDRH-LB-2PG21	
PG29	G10B-SDRH-LB-2PG29	
M32	G10B-SDRH-LB-2M32	

螺纹 Thread	型号/Type	订货号 /Part Number
PG16	G10B-TBF-LB-PG16	
M20	G10B-TBF-LB-M20	
M25	G10B-TBF-LB-M25	
高结构 / High construction		
PG21	G10B-TBFH-LB-PG21	
PG29	G10B-TBFH-LB-PG29	
M25	G10B-TBFH-LB-M25	
M32	G10B-TBFH-LB-M32	



G10B 耐腐蚀外壳 Metal Hoods & Housings For higher environmental requirements



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 9005 / Powder-coated, RAL 9005


防护等级 Degree of protection : IP65

上壳 / Hoods


侧面进线 Side entry



螺纹 Thread	型号/Type	订货号 /Part Number
M20	G10B-TS-M-M20	
PG16	G10B-TS-M-PG16	

侧出线高结构
side entry, high construction


螺纹 Thread	型号/Type	订货号 /Part Number
M25	G10B-TSH-M-M25	




顶部进线 Top entry



螺纹 Thread	型号/Type	订货号 /Part Number
M20	G10B-TG-M-M20	
PG16	G10B-TG-M-PG16	

顶出线高结构
top entry, high construction

螺纹 Thread	型号/Type	订货号 /Part Number
M32	G10B-TGH-M-M32	




下壳底座 / Housings

电缆对接下壳 Cable-to-cable hood




螺纹 Thread	型号/Type	订货号 /Part Number
PG16	G10B-TBF-M-PG16	



外壳底座: 开孔安装 Bulkhead mounted



螺纹 Thread	型号/Type	订货号 /Part Number
---	G10B-AG-M	



G10B 耐腐蚀外壳 Metal Hoods & Housings For higher environmental requirements



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 9005 / Powder-coated, RAL 9005


防护等级 Degree of protection : IP65

下壳底座 / Housings

外壳底座: 表面安装 Surface mounted: Side entry




螺纹 Thread	型号/Type	订货号 /Part Number
PG16	G10B-SGR-M-PG16	
M20	G10B-SGR-M-M20	



外壳底座: 表面安装
Surface mounted: Side entry




螺纹 Thread	型号/Type	订货号 /Part Number
M32	G10B-SGRH-M-M32	



上壳保护盖 Protection covers for hoods




螺纹 Thread	型号/Type	订货号 /Part Number
	金属盖/用于上壳 For hoods	
	G10B-KDT-LA-M-1	
	金属盖/用于下壳 For housings	
	G10B-KDT-LA-M-2	



底座保护盖 Housing protection cover



螺纹 Thread	型号/Type	订货号 /Part Number
---	金属盖/用于上壳 For hoods	
	G10B-KDB-LA-M-1	
	金属盖/用于下壳 For housings	
	G10B-KDB-LA-M-2	




上壳 / Hoods

防护等级 Degree of protection : IP65 单扣

顶部进线 Top entry



螺纹 Thread	型号/Type	订货号 /Part Number
M32	G10B-TGH-RO-M-M32	




下壳底座 / Housings

外壳底座: 表面安装
Surface mounted: Side entry




螺纹 Thread	型号/Type	订货号 /Part Number
M25	G10B-SGRH-LB-M-M25	




500V max.16A

32+ 


公 Male	GE-032-MBZ
母 Female	GE-032-FBZ



1)接插体之间最大距离21mm
Distance for contact max.21mm




接插针排序
Contacts arrangement view from termination side



板面安装开孔图
Panel cut out for use without hoods/housings

绝缘材料: 乙烯基



型号	订货号	包装数	导线截面 (mm²)	预绝缘端 头色标	尺寸(mm)				
					F	L	D	d	W
EV0.5-10	5570103	1000	0.5	(WH)	10.0	16.0	1.3	1.0	2.6
EV0.75-10	5570107	1000	0.75	(BU)	10.0	16.4	1.5	1.2	2.8
EV1-10	5570111	1000	1.0	(RD)	10.0	16.4	1.7	1.4	3
EV1.5-10	5570114	1000	1.5	(BK)	10.0	16.4	2.0	1.7	3.5
EV2.5-10	5570118	1000	2.5	(GY)	10.0	17.4	2.6	2.2	4



型号	压接范围	订货号
CE-501	0.08~6.0mm ² (可调节压接范围)	3 954 100

型号	压接范围	订货号
CE-502	0.5~6.0mm ²	3 954 101

G16B 双扣外壳 /G16B with 2 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037

防护等级 Degree of protection : IP65

上壳 / Hoods


侧面进线 Side entry



螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G16B-TS-PG21	
M25	G16B-TS-M25	
M32	G16B-TS-M32	

高结构/High construction

PG21	G16B-TSH-PG21	
PG29	G16B-TSH-PG29	
M25	G16B-TSH-M25	
M32	G16B-TSH-M32	
M40	G16B-TSH-M40	



高结构/High construction

顶部进线 Top entry




螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G16B-TG-PG21	
M25	G16B-TG-M25	
M32	G16B-TG-M32	

高结构/High construction

PG21	G16B-TGH-PG21	
PG29	G16B-TGH-PG29	
M25	G16B-TGH-M25	
M32	G16B-TGH-M32	
M40	G16B-TGH-M40	

2个进线孔 2 side entry

PG16	G16B-TGH-2PG16	
PG21	G16B-TGH-2PG21	
M25	G16B-TGH-2M25	




高结构/High construction

上壳侧出线/顶出线
Hoods, side & top entry, high construction

我可提供顶部、侧面同时出线的非标品
We can provide non-standard products with both top & side entry

型号为: G16B-TSH/TGH-PG/M 如有需要请与我司联系



上壳保护盖 Protection covers for hoods



螺纹 Thread	型号/Type	订货号 /Part Number
	G16B-KDT	

带金属保护盖/With protection cover

金属盖/用于上壳 For hoods




G16B-KD T-LA-1

金属盖/用于下壳 For housings




G16B-KD T-LA-2



下壳底座 / Housings

外壳底座: 开孔安装
Bulkhead mounted

螺纹 Thread	型号/Type	订货号 /Part Number
	G16B-AG	

面板开孔图
Panel cut out

G16B 双扣外壳 /G16B with 2 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390


表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037

防护等级 Degree of protection : IP65


下壳底座 / Housings

外壳底座: 表面安装
Surface mounted: Side entry

螺纹 Thread	型号/Type	订货号 /Part Number
1个进线孔 1 side entry		
PG21	G16B-SGR-PG21	
M25	G16B-SGR-M25	
2个进线孔 2 side entry		
PG21	G16B-SGR-2PG21	
M25	G16B-SGR-2M25	
高结构/High construction		
PG29	G16B-SGRH-PG29	
M32	G16B-SGRH-M32	
M40	G16B-SGRH-M40	
2个进线孔 2 side entry		
PG29	G16B-SGRH-2PG29	
M32	G16B-SGRH-2M32	
M40	G16B-SGRH-2M40	




高结构/High construction




电缆对接下壳 Cable-to-cable hood



螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G16B-TBF-PG21	
M25	G16B-TBF-M25	
M32	G16B-TBF-M32	
高结构/High construction		
PG21	G16B-TBFH-PG21	
PG29	G16B-TBFH-PG29	
M25	G16B-TBFH-M25	
M32	G16B-TBFH-M32	




高结构/High construction



底座保护盖 Housing protection cover



螺纹 Thread	型号/Type	订货号 /Part Number
	G16B-KDB	
金属保护盖 / With protection cover		
---	金属盖/用于上壳 For hoods	
	G16B-KDB-LA-1	
金属盖/用于下壳 For housings		
	G16B-KDB-LA-2	



G16B 双扣外壳 /G16B with 2 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037

防护等级 Degree of protection : IP65


上壳 / Hoods

侧出带双扣下壳

Side entry housing with two levers



螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G16B-TSBH-PG21	
M25	G16B-TSBH-M25	
M32	G16B-TSBH-M32	
高结构/High construction		
PG21	G16B-TSBH-PG21	
PG29	G16B-TSBH-PG29	
M25	G16B-TSBH-M25	
M32	G16B-TSBH-M32	




顶出带双扣下壳

Top entry housing with two levers



螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G16B-TGBH-PG21	
M25	G16B-TGBH-M25	
M32	G16B-TGBH-M32	
高结构/High construction		
PG21	G16B-TGBH-PG21	
PG29	G16B-TGBH-PG29	
M25	G16B-TGBH-M25	
M32	G16B-TGBH-M32	




双扣带盖开孔底座

Bulkhead mounting with hoods



螺纹 Thread	型号/Type	订货号 /Part Number
	G16B-AG-BO	
带保护盖/with protection cover		
	G16B-AD-BO	
带金属保护盖/with protection cover		
	G16B-AD-AL-BO	




下壳底座 / Housings

双扣带盖表面安装底座

Surface mounting with hoods



螺纹 Thread	型号/Type	订货号 /Part Number
1个进线孔 1 side entry		
PG21	G16B-SDR-BO-PG21	
M25	G16B-SDR-BO-M25	
2个进线孔 2 side entry		
PG21	G16B-SDR-BO-2PG21	
M25	G16B-SDR-BO-2M25	
高结构/High construction		
1个进线孔 1 side entry		
PG21	G16B-SDRH-BO-PG21	
PG29	G16B-SDRH-BO-PG29	
M32	G16B-SDRH-BO-M32	
2个进线孔 2 side entry		
PG21	G16B-SDRH-BO-2PG21	
PG29	G16B-SDRH-BO-2PG29	
M32	G16B-SDRH-BO-2M32	



G16B单扣外壳 /G16B with 1 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated,RAL 7037

防护等级 Degree of protection : IP65

上壳 / Hoods

侧面进线 Side entry




螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G16B-TS-RO-PG21	
M25	G16B-TS-RO-M25	
M32	G16B-TS-RO-M32	



高结构/High construction		
PG21	G16B-TSH-RO-PG21	
PG29	G16B-TSH-RO-PG29	
M25	G16B-TSH-RO-M25	
M32	G16B-TSH-RO-M32	
M40	G16B-TSH-RO-M40	



高结构/High construction




顶部进线 Top entry




螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G16B-TG-RO-PG21	
M25	G16B-TG-RO-M25	
M32	G16B-TG-RO-M32	



高结构/High construction		
PG21	G16B-TGH-RO-PG21	
PG29	G16B-TGH-RO-PG29	
M25	G16B-TGH-RO-M25	
M32	G16B-TGH-RO-M32	
M40	G16B-TGH-RO-M40	



高结构/High construction




下壳底座 / Housings

外壳底座: 开孔安装 Bulkhead mounted



螺纹 Thread	型号/Type	订货号 /Part Number
	G16B-AG-LB	
	带保护盖/ith protection cover	
	G16B-AD-LB	
	上壳保护盖/protection cover	
	G16B-KDT-LB	



G16B单扣外壳 /G16B with 1 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037


防护等级 Degree of protection : IP65

下壳底座 / Housings

外壳底座: 表面安装
Surface mounted: Side entry



螺纹 Thread	型号/Type	订货号 /Part Number
1个进线孔1 side entry		
PG21	G16B-SGR-LB-PG21	
M25	G16B-SGR-LB-M25	
2个进线孔2 side entry		
2PG21	G16B-SGR-LB-2PG21	
2M25	G16B-SGR-LB-2M25	
高结构 / High construction		
1个进线孔1 side entry		
PG21	G16B-SGRH-LB-PG21	
PG29	G16B-SGRH-LB-PG29	
M32	G16B-SGRH-LB-M32	
2个进线孔2 side entry		
PG21	G16B-SGRH-LB-2PG21	
PG29	G16B-SGRH-LB-2PG29	
M32	G16B-SGRH-LB-2M32	




下壳底座 / Housings

带盖表面安装底座 Surface mounting




螺纹 Thread	型号/Type	订货号 /Part Number
1个进线孔1 side entry		
PG21	G16B-SDR-LB-PG21	
M25	G16B-SDR-LB-M25	
2个进线孔2 side entry		
2PG21	G16B-SDR-LB-2PG21	
2M25	G16B-SDR-LB-2M25	
高结构 / High construction		
1个进线孔1 side entry		
PG21	G16B-SDRH-LB-PG21	
PG29	G16B-SDRH-LB-PG29	
M32	G16B-SDRH-LB-M32	
2个进线孔2 side entry		
PG21	G16B-SDRH-LB-2PG21	
PG29	G16B-SDRH-LB-2PG29	
M32	G16B-SDRH-LB-2M32	



电缆对接下壳 Cable-to-cable hood



螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G16B-TBF-LB-PG21	
M25	G16B-TBF-LB-M25	
M32	G16B-TBF-LB-M32	
高结构 / High construction		
PG21	G16B-TBFH-LB-PG21	
PG29	G16B-TBFH-LB-PG29	
M32	G16B-TBFH-LB-M32	
M40	G16B-TBFH-LB-M40	



G16B 耐腐蚀外壳 Metal Hoods & Housings For higher environmental requirements



底部外壳安装开孔尺寸/Housing mounting dimensionsPAGE/390

表面粉末镀层, RAL 9005 / Powder-coated,RAL 9005


防护等级 Degree of protection : IP65

上壳 / Hoods


侧面进线 Side entry



螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G16B-TS-M-PG21	
M25	G16B-TS-M-M25	

侧出线高结构
side entry,high construction


螺纹 Thread	型号/Type	订货号 /Part Number
PG29	G16B-TSH-M-PG29	
M32	G16B-TSH-M-M32	
M40	G16B-TSH-M-M40	




顶部进线 Top entry



螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G16B-TG-M-PG21	
M25	G16B-TG-M-M25	

顶出线高结构
top entry,high construction


螺纹 Thread	型号/Type	订货号 /Part Number
PG29	G16B-TGH-M-PG29	
M32	G16B-TGH-M-M32	




下壳底座 / Housings

外壳底座:开孔安装
Bulkhead mounted

螺纹 Thread	型号/Type	订货号 /Part Number
---	G16B-AG-M	

外壳底座: 表面安装
Surface mounted: Side entry

螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G16B-SGR-M-PG21	
M25	G16B-SGR-M-M25	





底部外壳安装开孔尺寸/Housing mounting dimensionsPAGE/390

表面粉末镀层, RAL 9005 / Powder-coated,RAL 9005

防护等级 Degree of protection : IP65


下壳底座 / Housings

封底下壳高结构

Housings, surface mounting, high construction




螺纹 Thread	型号/Type	订货号 /Part Number
2PG29	G16B-SGRH-M-2PG29	
2M32	G16B-SGRH-M-2M32	
2M40	G16B-SGRH-M-2M40	



电缆对接下壳 Cable-to-cable hood




螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G16B-TBF-M-PG21	



底座保护盖 Housing protection cover




螺纹 Thread	型号/Type	订货号 /Part Number
	金属盖/用于上壳 For hoods	
	G16B-KDB-LA-M-1	
	金属盖/用于下壳 For housings	
	G16B-KDB-LA-M-2	



上壳保护盖 Protection covers for hoods



螺纹 Thread	型号/Type	订货号 /Part Number
	G16B-KDT-LA-M-1	
	G16B-KDT-LA-M-2	



GE-046接插体 / GE-046 inserts



芯件适配用G24B外壳

Inserts suit for G24B hoods/housing


500V max.16A

46+

冷压针压接/Crimp terminal



插芯/Inserts	型号/Type	订货号/Part Number
公 Male	GE-046-MBZ	
母 Female	GE-046-FBZ	



管形预绝缘端头




EV_---

极限工作温度:105℃, U_i : 300V

端头材质: 紫铜管

绝缘材料: 乙烯基



型号	订货号	包装数	导线截面 (mm ²)	预绝缘端 头色标	尺寸(mm)				
					F	L	D	d	W
EV0.5-10	5570103	1000	0.5	(WH)	10.0	16.0	1.3	1.0	2.6
EV0.75-10	5570107	1000	0.75	(BU)	10.0	16.4	1.5	1.2	2.8
EV1-10	5570111	1000	1.0	(RD)	10.0	16.4	1.7	1.4	3
EV1.5-10	5570114	1000	1.5	(BK)	10.0	16.4	2.0	1.7	3.5
EV2.5-10	5570118	1000	2.5	(GY)	10.0	17.4	2.6	2.2	4



型号	压接范围	订货号
CE-501	0.08~6.0mm ² (可调节压接范围)	3 954 100



型号	压接范围	订货号
CE-502	0.5~6.0mm ²	3 954 101

G24B 双扣外壳 /G24B with 2 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037

防护等级 Degree of protection : IP65

上壳 / Hoods


侧面进线 Side entry




螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G24B-TS-PG21	
M25	G24B-TS-M25	
M32	G24B-TS-M32	



高结构/High construction		
PG21	G24B-TSH-PG21	
PG29	G24B-TSH-PG29	
M25	G24B-TSH-M25	
M32	G24B-TSH-M32	
M40	G24B-TSH-M40	



高结构/High construction



顶部进线 Top entry



螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G24B-TG-PG21	
M25	G24B-TG-M25	
M32	G24B-TG-M32	



高结构/High construction		
PG21	G24B-TGH-PG21	
PG29	G24B-TGH-PG29	
M25	G24B-TGH-M25	
M32	G24B-TGH-M32	
M40	G24B-TGH-M40	
2个进线孔 2 side entry		
PG16	G24B-TGH-2PG16	
PG21	G24B-TGH-2PG21	
M25	G24B-TGH-2M25	



高结构/High construction

上壳侧出线/顶出线
Hoods,side&top entry,high construction

我可提供顶部、侧面同时出线的非标品
We can provide non-standard products with both top&side entry



型号为:G24B-TSH/TGH-PG/M 如有需要请与我司联系



上壳保护盖 Protection covers for hoods




螺纹 Thread	型号/Type	订货号 /Part Number
	G24B-KDT	
带金属保护盖/With protection cover		
金属盖/用于上壳 For hoods		
	G24B-KDT-LA-1	
金属盖/用于下壳 For housings		
	G24B-KDT-LA-2	



下壳底座 / Housings

外壳底座:开孔安装
Bulkhead mounted

螺纹 Thread	型号/Type	订货号 /Part Number
	G24B-AG	

面板开孔图
Panel cut out

G24B 双扣外壳 /G24B with 2 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390


表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037

防护等级 Degree of protection : IP65

下壳底座 / Housings

外壳底座: 表面安装
Surface mounted: Side entry


螺纹 Thread	型号/Type	订货号 /Part Number
1个进线孔 1 side entry		
PG21	G24B-SGR-PG21	
M25	G24B-SGR-M25	
2个进线孔 2 side entry		
PG21	G24B-SGR-2PG21	
M25	G24B-SGR-2M25	
高结构/High construction		
PG21	G24B-SGRH-PG21	
PG29	G24B-SGRH-PG29	
M32	G24B-SGRH-M32	
M40	G24B-SGRH-M40	
2个进线孔 2 side entry		
PG21	G24B-SGRH-2PG21	
PG29	G24B-SGRH-2PG29	
M32	G24B-SGRH-2M32	
M40	G24B-SGRH-2M40	




电缆对接下壳 Cable-to-cable hood



螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G24B-TBF-PG21	
M25	G24B-TBF-M25	
M32	G24B-TBF-M32	
高结构/High construction		
PG21	G24B-TBFH-PG21	
PG29	G24B-TBFH-PG29	
M32	G24B-TBFH-M32	
M40	G24B-TBFH-M40	

底座保护盖
Housing protection cover

螺纹 Thread	型号/Type	订货号 /Part Number
	G24B-KDB	
金属保护盖 /With protection cover		
金属盖/用于上壳 For hoods		
	G24B-KDB-LA-1	
金属盖/用于下壳 For housings		
	G24B-KDB-LA-2	



G24B 双扣外壳 /G24B with 2 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037

防护等级 Degree of protection : IP65


上壳 / Hoods

侧出带双扣下壳

Side entry housing with two levers



螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G24B-TSB-PG21	
M25	G24B-TSB-M25	
M32	G24B-TSB-M32	
高结构/High construction		
PG21	G24B-TSBH-PG21	
PG29	G24B-TSBH-PG29	
M25	G24B-TSBH-M25	
M32	G24B-TSBH-M32	
M40	G24B-TSBH-M40	




顶出带双扣下壳

Top entry housing with two levers



螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G24B-TGB-PG21	
M25	G24B-TGB-M25	
M32	G24B-TGB-M32	
高结构/High construction		
PG21	G24B-TGBH-PG21	
PG29	G24B-TGBH-PG29	
M25	G24B-TGBH-M25	
M32	G24B-TGBH-M32	
M40	G24B-TGBH-M40	




双扣带盖开孔底座

Bulkhead mounting with hoods



螺纹 Thread	型号/Type	订货号 /Part Number
	G24B-AG-BO	
带保护盖/with protection cover		
	G24B-AD-BO	
带金属保护盖/with protection cover		
	G24B-AD-LA-BO	




下壳底座 / Housings

双扣带盖表面安装底座

Surface mounting with hoods



螺纹 Thread	型号/Type	订货号 /Part Number
带保护盖/with protection cover		
1个进线孔 1 side entry		
PG21	G24B-SDR-BO-PG21	
M25	G24B-SDR-BO-M25	
2个进线孔 2 side entry		
PG21	G24B-SDR-BO-2PG21	
M25	G24B-SDR-BO-2M25	
高结构/High construction		
1个进线孔 1 side entry		
PG21	G24B-SDRH-BO-PG21	
PG29	G24B-SDRH-BO-PG29	
M32	G24B-SDRH-BO-M32	
M40	G24B-SDRH-BO-M40	
2个进线孔 2 side entry		
PG21	G24B-SDRH-BO-2PG21	
PG29	G24B-SDRH-BO-2PG29	
M32	G24B-SDRH-BO-2M32	
M40	G24B-SDRH-BO-2M40	



G24B单扣外壳 /G24B with 1 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037


防护等级 Degree of protection : IP65

上壳 / Hoods

侧面进线 Side entry




螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G24B-TS-RO-PG21	
M25	G24B-TS-RO-M25	
M32	G24B-TS-RO-M32	
高结构/High construction		
PG21	G24B-TSH-RO-PG21	
PG29	G24B-TSH-RO-PG29	
M25	G24B-TSH-RO-M25	
M32	G24B-TSH-RO-M32	
M40	G24B-TSH-RO-M40	



顶部进线 Top entry



螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G24B-TG-RO-PG21	
PG29	G24B-TG-RO-PG29	
M25	G24B-TG-RO-M25	
M32	G24B-TG-RO-M32	
高结构/High construction		
PG21	G24B-TGH-RO-PG21	
PG29	G24B-TGH-RO-PG29	
PG36	G24B-TGH-RO-PG36	
M25	G24B-TGH-RO-M25	
M32	G24B-TGH-RO-M32	
M40	G24B-TGH-RO-M40	




下壳底座 / Housings


外壳底座: 开孔安装 Bulkhead mounted



螺纹 Thread	型号/Type	订货号 /Part Number
	G24B-AG-LB	
带保护盖/with protection cover		
	G24B-AD-LB	
上壳保护盖/protection cover		
	G24B-KDT-LB	

外壳底座: 表面安装
Surface mounted: Side entry

螺纹 Thread	型号/Type	订货号 /Part Number
1个进线孔1 side entry		
PG21	G24B-SGR-LB-PG21	
M25	G24B-SGR-LB-M25	
2个进线孔2 side entry		
2PG21	G24B-SGR-LB-2PG21	
2M25	G24B-SGR-LB-2M25	
高结构 / High construction		
1个进线孔1 side entry		
PG21	G24B-SGRH-LB-PG21	
PG29	G24B-SGRH-LB-PG29	
M32	G24B-SGRH-LB-M32	
M40	G24B-SGRH-LB-M40	
2个进线孔2 side entry		
PG21	G24B-SGRH-LB-2PG21	
PG29	G24B-SGRH-LB-2PG29	
M32	G24B-SGRH-LB-2M32	
M40	G24B-SGRH-LB-2M40	



G24B单扣外壳 /G24B with 1 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated,RAL 7037

防护等级 Degree of protection : IP65


下壳底座 / Housings

带盖表面安装底座 Surface mounting




螺纹 Thread	型号/Type	订货号 /Part Number
带保护盖/With protection cover		
1个进线孔1 side entry		
PG21	G24B-SDR-LB-PG21	
M25	G24B-SDR-LB-M25	
2个进线孔2 side entry		
2PG21	G24B-SDR-LB-2PG21	
2M25	G24B-SDR-LB-2M25	
高结构 / High construction		
1个进线孔1 side entry		
PG21	G24B-SDRH-LB-PG21	
PG29	G24B-SDRH-LB-PG29	
M32	G24B-SDRH-LB-M32	
2个进线孔2 side entry		
PG21	G24B-SDRH-LB-2PG21	
PG29	G24B-SDRH-LB-2PG29	
M32	G24B-SDRH-LB-2M32	
带金属保护盖/With metal protective cover		
1个进线孔1 side entry		
PG21	G24B-SDR-LB-LA-PG21	
M25	G24B-SDR-LB-LA-M25	
2个进线孔2 side entry		
2PG21	G24B-SDR-LB-LA-2PG21	
2M25	G24B-SDR-LB-LA-2M25	
高结构 / High construction		
1个进线孔1 side entry		
PG21	G24B-SDRH-LB-LA-PG21	
PG29	G24B-SDRH-LB-LA-PG29	
M32	G24B-SDRH-LB-LA-M32	
2个进线孔2 side entry		
PG21	G24B-SDRH-LB-LA-2PG21	
PG29	G24B-SDRH-LB-LA-2PG29	
M32	G24B-SDRH-LB-LA-2M32	

带保护盖/ith protection cover



高结构 / High construction




电缆对接下壳 Cable-to-cable hood



螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G24B-TBF-LB-PG21	
PG29	G24B-TBF-LB-PG29	
M25	G24B-TBF-LB-M25	
M32	G24B-TBF-LB-M32	
高结构 / High construction		
PG21	G24B-TBFH-LB-PG21	
PG29	G24B-TBFH-LB-PG29	
M32	G24B-TBFH-LB-M32	
M40	G24B-TBFH-LB-M40	

高结构 / High construction



G24B 耐腐蚀外壳 Metal Hoods & Housings For higher environmental requirements



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 9005 / Powder-coated, RAL 9005


防护等级 Degree of protection : IP65

上壳 / Hoods


侧出线 side entry



螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G24B-TS-M-PG21	
M25	G24B-TS-M-M25	

侧出线高结构
side entry, high construction


螺纹 Thread	型号/Type	订货号 /Part Number
高结构 / High construction		
PG29	G24B-TSH-M-PG29	
M32	G24B-TSH-M-M32	
M40	G24B-TSH-M-M40	




顶出线 top entry



螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G24B-TG-M-PG21	
M25	G24B-TG-M-M25	

顶出线高结构
top entry, high construction


螺纹 Thread	型号/Type	订货号 /Part Number
高结构 / High construction		
PG29	G24B-TGH-M-PG29	
M32	G24B-TGH-M-M32	



下壳底座 / Housings

不封底下壳
Housings, bulkhead mounting


螺纹 Thread	型号/Type	订货号 /Part Number
---	G24B-AG-M	



封底下壳 Housings, surface mounting



螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G24B-SGR-M-PG21	
M25	G24B-SGR-M-M25	



G24B耐腐蚀外壳 Metal Hoods & Housings For higher environmental requirements



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 9005 / Powder-coated, RAL 9005

防护等级 Degree of protection : IP65


下壳底座 / Housings

封底下壳高结构

Housings, surface mounting, high construction




螺纹 Thread	型号/Type	订货号 /Part Number
2PG29	G24B-SGRH-M-2PG29	
2M32	G24B-SGRH-M-2M32	
2M40	G24B-SGRH-M-2M40	



电缆对接下壳 Cable-to-cable hood




螺纹 Thread	型号/Type	订货号 /Part Number
PG21	G24B-TBF-M-PG21	



底座保护盖 Housing protection cover




螺纹 Thread	型号/Type	订货号 /Part Number
	金属盖/用于上壳 For hoods	
	G24B-KDB-LA-M-1	
	金属盖/用于下壳 For housings	
	G24B-KDB-LA-M-2	



上壳保护盖 Protection covers for hoods




螺纹 Thread	型号/Type	订货号 /Part Number
	金属盖/用于上壳 For hoods	
	G24B-KDT-LA-M-1	
	金属盖/用于下壳 For housings	
	G24B-KDT-LA-M-2	




500V max.16A(32x2)

64+  (32X2)


公	Male	GE-032-MBZ(1-32)
母	Female	GE-032-FBZ(1-32)
公	Male	GE-032-MBZ(33-64)
母	Female	GE-032-FBZ(33-64)



1)接插体之间最大距离21mm
Distance for contact max.21mm




接插针排序
Contacts arrangement view from termination side



板面安装开孔图
Panel cut out for use without hoods/housings

绝缘材料: 乙烯基



型号	订货号	包装数	导线截面 (mm²)	预绝缘端 头色标	尺寸(mm)				
					F	L	D	d	W
EV0.5-10	5570103	1000	0.5	(WH)	10.0	16.0	1.3	1.0	2.6
EV0.75-10	5570107	1000	0.75	(BU)	10.0	16.4	1.5	1.2	2.8
EV1-10	5570111	1000	1.0	(RD)	10.0	16.4	1.7	1.4	3
EV1.5-10	5570114	1000	1.5	(BK)	10.0	16.4	2.0	1.7	3.5
EV2.5-10	5570118	1000	2.5	(GY)	10.0	17.4	2.6	2.2	4



型号	压接范围	订货号
CE-501	0.08~6.0mm ² (可调节压接范围)	3 954 100



型号	压接范围	订货号
CE-502	0.5~6.0mm ²	3 954 101

G32B带双扣外壳/G32B with 2 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037


注:上壳高结构和低结构是通用型结构

上壳 / Hoods

外壳上壳: 侧面进线 Hood: Side entry




螺纹 Thread	型号/Type	订货号 /Part Number
PG29	G32B-TS-PG29	
PG36	G32B-TS-PG36	
PG42	G32B-TS-PG42	
M32	G32B-TS-M32	
M40	G32B-TS-M40	
M50	G32B-TS-M50	




外壳上壳: 顶部进线 Hood: Top entry




螺纹 Thread	型号/Type	订货号 /Part Number
PG29	G32B-TG-PG29	
PG36	G32B-TG-PG36	
PG42	G32B-TG-PG42	
M32	G32B-TG-M32	
M40	G32B-TG-M40	
M50	G32B-TG-M50	



上壳保护盖 Protection covers for hoods



螺纹 Thread	型号/Type	订货号 /Part Number
	G32B-KDT-LA-1	




下壳底座 / Housings

外壳底座: 开孔安装 Bulkhead mounted: Bottom entry




螺纹 Thread	型号/Type	订货号 /Part Number
	G32B-AG	



外壳底座: 表面安装 Surface mounted: Side entry




螺纹 Thread	型号/Type	订货号 /Part Number
1个进线孔1 side entry		
PG29	G32B-SGR-PG29	
PG36	G32B-SGR-PG36	
PG42	G32B-SGR-PG42	
M32	G32B-SGR-M32	
M40	G32B-SGR-M40	
2个进线孔2 side entry		
PG29	G32B-SGR-2PG29	
PG36	G32B-SGR-2PG36	
PG42	G32B-SGR-2PG42	
M32	G32B-SGR-2M32	
M40	G32B-SGR-2M40	



电缆对接下壳 Cable-to-cable hood



螺纹 Thread	型号/Type	订货号 /Part Number
PG29	G32B-TBF-PG29	
PG36	G32B-TBF-PG36	
PG42	G32B-TBF-PG42	
M32	G32B-TBF-M32	
M40	G32B-TBF-M40	
M50	G32B-TBF-M50	



G32B带双扣外壳/G32B with 2 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037


注:上壳高结构和低结构是通用型结构

上壳 / Hoods

外壳上壳: 侧面进线 Hood: Side entry




螺纹 Thread	型号/Type	订货号 /Part Number
PG29	G32B-TSB-PG29	
M32	G32B-TSB-M32	



开孔安装 Bulkhead mounted




螺纹 Thread	型号/Type	订货号 /Part Number
PG29	G32B-TGB-PG29	
PG36	G32B-TGB-PG36	
PG42	G32B-TGB-PG42	
M32	G32B-TGB-M32	
M40	G32B-TGB-M40	
M50	G32B-TGB-M50	



开孔安装 Bulkhead mounted




螺纹 Thread	型号/Type	订货号 /Part Number
	G32B-AG-BO	



开孔安装 Bulkhead mounted




螺纹 Thread	型号/Type	订货号 /Part Number
1个进线孔1 side entry		
PG29	G32B-SGR-BO-PG29	
PG36	G32B-SGR-BO-PG36	
PG42	G32B-SGR-BO-PG42	
M32	G32B-SGR-BO-M32	
M40	G32B-SGR-BO-M40	
2个进线孔2 side entry		
PG29	G32B-SGR-BO-2PG29	
PG36	G32B-SGR-BO-2PG36	
PG42	G32B-SGR-BO-2PG42	
M32	G32B-SGR-BO-2M32	
M40	G32B-SGR-BO-2M40	



底座保护盖



螺纹 Thread	型号/Type	订货号 /Part Number
	G32B-KDB-LA-2	



G32B带单扣外壳 / G32B with 1 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037


注:上壳高结构和低结构是通用型结构

上壳 / Hoods


外壳上壳: 侧面进线 Hood: Side entry



螺纹 Thread	型号/Type	订货号 /Part Number
PG29	G32B-TS-RO-PG29	
PG36	G32B-TS-RO-PG36	
PG42	G32B-TS-RO-PG42	
M32	G32B-TS-RO-M32	
M40	G32B-TS-RO-M40	
M50	G32B-TS-RO-M50	

外壳上壳: 顶部进线
Hood: Top entry


螺纹 Thread	型号/Type	订货号 /Part Number
PG29	G32B-TG-RO-PG29	
PG36	G32B-TG-RO-PG36	
PG42	G32B-TG-RO-PG42	
M32	G32B-TG-RO-M32	
M40	G32B-TG-RO-M40	
M50	G32B-TG-RO-M50	




下壳底座 / Housings

外壳底座: 开孔安装
Bulkhead mounted: Bottom entry

螺纹 Thread	型号/Type	订货号 /Part Number
	G32B-AG-LB	
	带保护盖/With protection cover	
	G32B-AD-LB	

外壳底座: 表面安装
Surface mounted: Side entry

螺纹 Thread	型号/Type	订货号 /Part Number
	1个进线孔1 side entry	
PG29	G32B-SGR-LB-PG29	
M32	G32B-SGR-LB-M32	
	2个进线孔2 side entry	
PG29	G32B-SGR-LB-2PG29	
M32	G32B-SGR-LB-2M32	
	带保护盖/With protection cover	
	1个进线孔1 side entry	
PG29	G32B-SDR-LB-PG29	
M32	G32B-SDR-LB-M32	
	2个进线孔2 side entry	
PG29	G32B-SDR-LB-2PG29	
M32	G32B-SDR-LB-2M32	



GE-092接插体 / GE-092 inserts



芯件适配用G48B外壳

inserts suit for G48B hoods/housing


500V max.16A(46x2)

92+ (46X2)

冷压针压接/Crimp terminal




插芯/Inserts	型号/Type	订货号/Part Number
公 Male	GE-046-MBZ(1-46)	
母 Female	GE-046-FBZ(1-46)	
公 Male	GE-046-MBZ(47-92)	
母 Female	GE-046-FBZ(47-92)	

接插体尺寸见 GEE-46
Dimensions for inserts see GEE-46

M

F

接插针排序
Contacts arrangement view from termination side板面安装开孔图
Panel cut out for use without hoods/housings

管形预绝缘端头




EV---

极限工作温度:105℃, Ui: 300V

端头材质: 紫铜管

绝缘材料: 乙烯基



型号	订货号	包装数	导线截面 (mm ²)	预绝缘端 头色标	尺寸(mm)				
					F	L	D	d	W
EV0.5-10	5570103	1000	0.5	(WH)	10.0	16.0	1.3	1.0	2.6
EV0.75-10	5570107	1000	0.75	(BU)	10.0	16.4	1.5	1.2	2.8
EV1-10	5570111	1000	1.0	(RD)	10.0	16.4	1.7	1.4	3
EV1.5-10	5570114	1000	1.5	(BK)	10.0	16.4	2.0	1.7	3.5
EV2.5-10	5570118	1000	2.5	(GY)	10.0	17.4	2.6	2.2	4



型号	压接范围	订货号
CE-501	0.08~6.0mm ² (可调节压接范围)	3 954 100



型号	压接范围	订货号
CE-502	0.5~6.0mm ²	3 954 101

G48B外壳 / G48B hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensionsPAGE/390

表面粉末镀层, RAL 7037 / Powder-coated,RAL 7037


防护等级 Degree of protection : IP65

上壳 / Hoods

侧面进线 Hood: Side entry




螺纹 Thread	型号/Type	订货号 /Part Number
PG29	G48B-TS-RO-PG29	
PG36	G48B-TS-RO-PG36	
PG42	G48B-TS-RO-PG42	
M32	G48B-TS-RO-M32	
M40	G48B-TS-RO-M40	
M50	G48B-TS-RO-M50	



外壳上壳: 顶部进线 Hood: Top entry




螺纹 Thread	型号/Type	订货号 /Part Number
PG29	G48B-TG-RO-PG29	
PG36	G48B-TG-RO-PG36	
PG42	G48B-TG-RO-PG42	
M32	G48B-TG-RO-M32	
M40	G48B-TG-RO-M40	
M50	G48B-TG-RO-M50	



下壳底座 / Housings

外壳底座: 开孔安装
Bulkhead mounted: Bottom entry

螺纹 Thread	型号/Type	订货号 /Part Number
	G48B-AG-LB	
	带保护盖/With protection cover	
	G48B-AD-LB	

外壳底座: 表面安装
Surface mounted: Side entry

螺纹 Thread	型号/Type	订货号 /Part Number
1个进线孔1 side entry		
PG29	G48B-SGR-LB-PG29	
PG36	G48B-SGR-LB-PG36	
M32	G48B-SGR-LB-M32	
M40	G48B-SGR-LB-M40	
2个进线孔2 side entry		
PG29	G48B-SGR-LB-2PG29	
PG36	G48B-SGR-LB-2PG36	
M32	G48B-SGR-LB-2M32	
M40	G48B-SGR-LB-2M40	
	带保护盖/With protection cover	
1个进线孔1 side entry		
PG29	G48B-SDR-LB-PG29	
PG36	G48B-SDR-LB-PG36	
M32	G48B-SDR-LB-M32	
M40	G48B-SDR-LB-M40	
2个进线孔2 side entry		
PG29	G48B-SDR-LB-2PG29	
PG36	G48B-SDR-LB-2PG36	
M32	G48B-SDR-LB-2M32	
M40	G48B-SDR-LB-2M40	

