



## GSB系列接插件技术特性/GSB technical characteristics



## 电流负载能力 / Current carrying capacity

电流负载能力所受的限制主要来自包含接插针的接插体可承受的最大温度。

测试和控制过程依据DINIEC 60512-5。

The current carrying is limited by maximum temperature of materials for inserts and contacts including terminals.

Control and test procedures according to DIN IEC 60512-5.

## 规范 / Specifications

DIN VDE 0627  
DIN VDE 0110

## 插接体 / Inserts


|                                                              |                       |
|--------------------------------------------------------------|-----------------------|
| 接插件针数/Number of contacts                                     | 4,6,12(2x6)+PE        |
| 工作电流/Working current<br>(见负载图/See current carrying capacity) | 35A max.              |
| 工作电压/Working voltage                                         | 690V                  |
| 测试电压/Test voltage Urms                                       | 6KV                   |
| 污染等级/Pollution degree                                        | 3(C)                  |
| 隔离电阻/Insulation resistance                                   | $\geq 10^{10} \Omega$ |
| 材料/Material                                                  | 聚碳酸酯 Polyamide        |
| 工作温度范围/Temperature range                                     | -40°C...+100°C/125°C  |
| 阻燃等级(UL94)Flammability acc.to (UI94)                         | V0                    |
| 据UL/CSA工作电压Working voltage acc.to UL/CSA                     | 600V                  |
| 可拔插次数/Mechanical working life(mating cycles)                 | $\geq 500$            |

## 接插针 / Contacts

|                                           |                                               |
|-------------------------------------------|-----------------------------------------------|
| 材料/Material                               | 铜/Copper alloy                                |
| 表面处理/Surface                              | 镀银/Hard silver-plated                         |
| 接触电阻/Contact resistance                   | $\leq 1m\Omega$                               |
| 接线形式/Terminal<br>-mm <sup>2</sup><br>-AWG | 螺钉压接/Screw terminal<br>6mm <sup>2</sup><br>10 |
| 拧紧力矩/测试力矩Tightening/test torque           | 1.2Nm                                         |

## 金属上壳/底座 Hoods/Housings

|                                            |                                               |
|--------------------------------------------|-----------------------------------------------|
| 材料/Material                                | 铸铝合金/Die cast aluminium                       |
| 表面处理/Surface                               | 高温粉末镀层,灰色<br>Powder-coated, RAL 7037          |
| 锁定装置/Locking element                       | 不锈钢或铁镀锌<br>Stainless steel, steel-zinc plated |
| 工作温度范围/Temperature range                   | -40°C...+125°C                                |
| 防护等级/Degree of protection acc.to DIN40 050 | IP65                                          |



①线径/Wire gauge: 4mm<sup>2</sup>

②线径/Wire gauge: 6mm<sup>2</sup>

GSBS-004接插体 / GSBS-004 inserts



芯件适配用G6B外壳  
nserts suit for G6B hoods/housing

690V 35A


4+

螺钉压接/Screw terminal




| 插芯/Inserts | 型号/Type    | 订货号/Part Number |
|------------|------------|-----------------|
| 公 Male     | GSBS-004-M |                 |
| 母 Female   | GSBS-004-F |                 |


1) 接插体之间的最大距离21mm  
1) Distance for contact max.21mm



接插针排序  
Contacts arrangement view from termination side



面板安装开孔图  
Panel cut out for inserts for use without Hoods/housings



## G6B带单扣外壳 / G6B with 1 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037


防护等级 Degree of protection : IP65

## 上壳 / Hoods

侧面进线: Side entry



| 螺纹 Thread | 型号/Type          | 订货号 /Part Number |
|-----------|------------------|------------------|
| PG13.5    | G6B-TS-RO-PG13.5 |                  |
| PG16      | G6B-TS-RO-PG16   |                  |
| M20       | G6B-TS-RO-M20    |                  |
| M25       | G6B-TS-RO-M25    |                  |




侧面进线: Side entry



| 螺纹 Thread             | 型号/Type         | 订货号 /Part Number |
|-----------------------|-----------------|------------------|
| 高结构/High construction |                 |                  |
| PG21                  | G6B-TSH-RO-PG21 |                  |
| PG29                  | G6B-TSH-RO-PG29 |                  |
| M25                   | G6B-TSH-RO-M25  |                  |
| M32                   | G6B-TSH-RO-M32  |                  |


高结构/High construction



顶部进线: Top entry



| 螺纹 Thread | 型号/Type          | 订货号 /Part Number |
|-----------|------------------|------------------|
| PG13.5    | G6B-TG-RO-PG13.5 |                  |
| PG16      | G6B-TG-RO-PG16   |                  |
| M20       | G6B-TG-RO-M20    |                  |
| M25       | G6B-TG-RO-M25    |                  |




顶部进线: Top entry



| 螺纹 Thread             | 型号/Type         | 订货号 /Part Number |
|-----------------------|-----------------|------------------|
| 高结构/High construction |                 |                  |
| PG21                  | G6B-TGH-RO-PG21 |                  |
| PG29                  | G6B-TGH-RO-PG29 |                  |
| M25                   | G6B-TGH-RO-M25  |                  |
| M32                   | G6B-TGH-RO-M32  |                  |


高结构/High construction

上壳侧出线/顶出线  
Hoods, side & top entry, high construction


我司可提供顶部、侧面同时出线的非标品  
We can provide non-standard products with both top & side entry

型号为: G6B-TSH/TGH-RO-XX/XX  
如有需要请与我司联系


高结构/High construction



上壳保护盖 Protection covers for hoods




| 螺纹 Thread                    | 型号/Type    | 订货号 /Part Number |
|------------------------------|------------|------------------|
|                              | G6B-KDT    |                  |
| 带金属保护盖/With protection cover |            |                  |
|                              | G6B-KDT-LA |                  |



## 下壳底座 / Housings

外壳底座: 开孔安装  
Bulkhead mounted: Bottom entry

| 螺纹 Thread                    | 型号/Type      | 订货号 /Part Number |
|------------------------------|--------------|------------------|
|                              | G6B-AG-LB    |                  |
| 带保护盖/With protection cover   |              |                  |
|                              | G6B-AD-LB    |                  |
| 带金属保护盖/With protection cover |              |                  |
|                              | G6B-AD-LB-LA |                  |



## G6B带单扣外壳 / G6B with 1 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037

防护等级 Degree of protection : IP65


## 下壳底座 / Housings

外壳底座: 表面安装  
Surface mounted: Side entry



| 螺纹 Thread             | 型号/Type            | 订货号 /Part Number |
|-----------------------|--------------------|------------------|
| 1个进线孔1 side entry     |                    |                  |
| PG13.5                | G6B-SGR-LB-PG13.5  |                  |
| PG16                  | G6B-SGR-LB-PG16    |                  |
| M20                   | G6B-SGR-LB-M20     |                  |
| M25                   | G6B-SGR-LB-M25     |                  |
| 2个进线孔2 side entry     |                    |                  |
| 2PG13.5               | G6B-SGR-LB-2PG13.5 |                  |
| 2PG16                 | G6B-SGR-LB-2PG16   |                  |
| 2M20                  | G6B-SGR-LB-2M20    |                  |
| 2M25                  | G6B-SGR-LB-2M25    |                  |
| 高结构/High construction |                    |                  |
| PG21                  | G6B-SGRH-LB-PG21   |                  |
| PG29                  | G6B-SGRH-LB-PG29   |                  |
| M32                   | G6B-SGRH-LB-M32    |                  |
| 2个进线孔2 side entry     |                    |                  |
| 2PG21                 | G6B-SGRH-LB-2PG21  |                  |
| 2PG29                 | G6B-SGRH-LB-2PG29  |                  |
| 2M32                  | G6B-SGRH-LB-2M32   |                  |


外壳底座: 表面安装  
Surface mounted: Side entry



高结构/High construction



| 螺纹 Thread                  | 型号/Type            | 订货号 /Part Number |
|----------------------------|--------------------|------------------|
| 带保护盖/With protection cover |                    |                  |
| 1个进线孔1 side entry          |                    |                  |
| PG13.5                     | G6B-SDR-LB-PG13.5  |                  |
| PG16                       | G6B-SDR-LB-PG16    |                  |
| M20                        | G6B-SDR-LB-M20     |                  |
| M25                        | G6B-SDR-LB-M25     |                  |
| 2个进线孔2 side entry          |                    |                  |
| PG13.5                     | G6B-SDR-LB-2PG13.5 |                  |
| PG16                       | G6B-SDR-LB-2PG16   |                  |
| M20                        | G6B-SDR-LB-2M20    |                  |
| M25                        | G6B-SDR-LB-2M25    |                  |
| 高结构/High construction      |                    |                  |
| PG21                       | G6B-SDRH-LB-PG21   |                  |
| PG29                       | G6B-SDRH-LB-PG29   |                  |
| M32                        | G6B-SDRH-LB-M32    |                  |
| 2个进线孔2 side entry          |                    |                  |
| 2PG21                      | G6B-SDRH-LB-2PG21  |                  |
| 2PG29                      | G6B-SDRH-LB-2PG29  |                  |
| 2M32                       | G6B-SDRH-LB-2M32   |                  |




高结构/High construction

## 电缆对接外壳 Cable-to-cable hood




| 螺纹 Thread             | 型号/Type          | 订货号 /Part Number |
|-----------------------|------------------|------------------|
| PG16                  | G6B-TBF-LB-PG16  |                  |
| M20                   | G6B-TBF-LB-M20   |                  |
| 高结构/High construction |                  |                  |
| PG16                  | G6B-TBFH-LB-PG16 |                  |
| PG29                  | G6B-TBFH-LB-PG29 |                  |
| M25                   | G6B-TBFH-LB-M25  |                  |
| M32                   | G6B-TBFH-LB-M32  |                  |



## 底座保护盖 Housing protection cover



| 螺纹 Thread             | 型号/Type      | 订货号 /Part Number |
|-----------------------|--------------|------------------|
|                       | G6B-KDB      |                  |
| 金属盖/用于上壳 For hoods    |              |                  |
|                       | G6B-KDB-LA-1 |                  |
| 金属盖/用于下壳 For housings |              |                  |
|                       | G6B-KDB-LA-2 |                  |



## G6B耐腐蚀单扣外壳 /G6B with 1lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 9005 / Powder-coated, RAL 9005


防护等级 Degree of protection : IP65

## 上壳 / Hoods

侧面进线 Side entry




| 螺纹 Thread | 型号/Type            | 订货号 /Part Number |
|-----------|--------------------|------------------|
| PG13.5    | G6B-TS-RO-M-PG13.5 |                  |
| PG16      | G6B-TS-RO-M-PG16   |                  |
| M20       | G6B-TS-RO-M-M20    |                  |



侧面进线 Side entry




| 螺纹 Thread | 型号/Type               | 订货号 /Part Number |
|-----------|-----------------------|------------------|
|           | 高结构/High construction |                  |
| M25       | G6B-TSH-RO-M-M25      |                  |
| M32       | G6B-TSH-RO-M-M32      |                  |



顶部进线 Top entry




| 螺纹 Thread | 型号/Type            | 订货号 /Part Number |
|-----------|--------------------|------------------|
| PG13.5    | G6B-TG-RO-M-PG13.5 |                  |
| PG16      | G6B-TG-RO-M-PG16   |                  |
| M20       | G6B-TG-RO-M-M20    |                  |



顶部进线 Top entry




| 螺纹 Thread | 型号/Type           | 订货号 /Part Number |
|-----------|-------------------|------------------|
| PG21      | G6B-TGH-RO-M-PG21 |                  |
| PG29      | G6B-TGH-RO-M-PG29 |                  |
| M25       | G6B-TGH-RO-M-M25  |                  |
| M32       | G6B-TGH-RO-M-M32  |                  |




## 下壳底座 / Housings

外壳底座: 开孔安装  
Bulkhead mounted housing

| 螺纹 Thread | 型号/Type                     | 订货号 /Part Number |
|-----------|-----------------------------|------------------|
|           | G6B-AG-LB-M                 |                  |
|           | 带保护盖/With protection cover  |                  |
|           | G6B-AD-LB-M                 |                  |
|           | 带金属保护盖With protection cover |                  |
|           | G6B-AD-LB-LA-M              |                  |

外壳底座: 表面安装  
Surface mounted: Side entry


| 螺纹 Thread | 型号/Type            | 订货号 /Part Number |
|-----------|--------------------|------------------|
|           | 2个进线孔2 side entry  |                  |
| 2PG16     | G6B-SGR-LB-M-2PG16 |                  |
| 2M20      | G6B-SGR-LB-M-2M20  |                  |



电缆对接外壳 Cable-to-cable hood




| 螺纹 Thread | 型号/Type           | 订货号 /Part Number |
|-----------|-------------------|------------------|
| PG13.5    | G6B-TBF-LB-M-PG16 |                  |



底座保护盖 Housing protection cover



| 螺纹 Thread | 型号/Type                    | 订货号 /Part Number |
|-----------|----------------------------|------------------|
|           | 金属保护盖With protection cover |                  |
|           | G6B-KDT-LA-M               |                  |



GSB-004接插体 / GSB-004 inserts



芯件适配用G10B外壳  
nserts suit for G6B hoods/housing

690V 35A


4+

螺钉压接/Screw terminal




| 插芯/Inserts | 型号/Type   | 订货号/Part Number |
|------------|-----------|-----------------|
| 公 Male     | GSB-004-M |                 |
| 母 Female   | GSB-004-F |                 |


1) 接插体之间的最大距离21mm  
1) Distance for contact max.21mm



接插针排序  
Contacts arrangement view from termination side



面板安装开孔图  
Panel cut out for inserts for use without Hoods/housings



## G10B带双扣外壳 / G10B with 2 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037


防护等级 Degree of protection : IP65

## 上壳 / Hoods

侧面进线 Side entry




| 螺纹 Thread             | 型号/Type       | 订货号 /Part Number |
|-----------------------|---------------|------------------|
| PG16                  | G10B-TS-PG16  |                  |
| M20                   | G10B-TS-M20   |                  |
| M25                   | G10B-TS-M25   |                  |
| 高结构/High construction |               |                  |
| PG21                  | G10B-TSH-PG21 |                  |
| PG29                  | G10B-TSH-PG29 |                  |
| M25                   | G10B-TSH-M25  |                  |
| M32                   | G10B-TSH-M32  |                  |



顶部进线 Top entry



| 螺纹 Thread             | 型号/Type       | 订货号 /Part Number |
|-----------------------|---------------|------------------|
| PG16                  | G10B-TG-PG16  |                  |
| M20                   | G10B-TG-M20   |                  |
| M25                   | G10B-TG-M25   |                  |
| 高结构/High construction |               |                  |
| PG21                  | G10B-TGH-PG21 |                  |
| PG29                  | G10B-TGH-PG29 |                  |
| M25                   | G10B-TG H-M25 |                  |
| M32                   | G10B-TGH-M32  |                  |



上壳侧出线/顶出线


Hoods, side &amp; top entry, high construction



我司可提供顶部、侧面同时出线的非标品

We can provide non-standard products with both top &amp; side entry


型号为: G10-TSH/TGH-PG/M 如有需要请与我司联系



上壳保护盖 Protection covers for hoods



| 螺纹 Thread                     | 型号/Type        | 订货号 /Part Number |
|-------------------------------|----------------|------------------|
|                               | G10B-KDT       |                  |
| 带金属保护盖 /With protection cover |                |                  |
| 金属盖/用于上壳 For hoods            |                |                  |
|                               | G10B-KD T-LA-1 |                  |
| 金属盖/用于下壳 For housings         |                |                  |
|                               | G10B-KD T-LA-2 |                  |




## 下壳底座 / Housings

外壳底座: 开孔安装 Bulkhead mounted



| 螺纹 Thread | 型号/Type | 订货号 /Part Number |
|-----------|---------|------------------|
|           | G10B-AG |                  |



G10B带双扣外壳 / G10B with 2 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated,RAL 7037


防护等级 Degree of protection : IP65

下壳底座 / Housings

外壳底座: 表面安装  
Surface mounted: Side entry




| 螺纹 Thread             | 型号/Type         | 订货号 /Part Number |
|-----------------------|-----------------|------------------|
| 1个进线孔 1 side entry    |                 |                  |
| PG16                  | G10B-SGR-PG16   |                  |
| M20                   | G10B-SGR-M20    |                  |
| M25                   | G10B-SGR-M25    |                  |
| 2个进线孔 2 side entry    |                 |                  |
| PG16                  | G10B-SGR-2PG16  |                  |
| M20                   | G10B-SGR-2M20   |                  |
| M25                   | G10B-SGR-2M25   |                  |
| 高结构/High construction |                 |                  |
| 1个进线孔 1 side entry    |                 |                  |
| PG21                  | G10B-SGRH-PG21  |                  |
| PG29                  | G10B-SGRH-PG29  |                  |
| M32                   | G10B-SGRH-M32   |                  |
| 2个进线孔 2 side entry    |                 |                  |
| PG21                  | G10B-SGRH-2PG21 |                  |
| PG29                  | G10B-SGRH-2PG29 |                  |
| M32                   | G10B-SGRH-2M32  |                  |



电缆对接下壳 Cable-to-cable hood




| 螺纹 Thread             | 型号/Type        | 订货号 /Part Number |
|-----------------------|----------------|------------------|
| PG16                  | G10B-TBF-PG16  |                  |
| M20                   | G10B-TBF-M20   |                  |
| M25                   | G10B-TBF-M25   |                  |
| 高结构/High construction |                |                  |
| PG21                  | G10B-TBFH-PG21 |                  |
| PG29                  | G10B-TBFH-PG29 |                  |
| M25                   | G10B-TBFH-M25  |                  |
| M32                   | G10B-TBFH-M32  |                  |



底座保护盖  
Housing protection cover



| 螺纹 Thread                     | 型号/Type       | 订货号 /Part Number |
|-------------------------------|---------------|------------------|
|                               | G10B-KDB      |                  |
| 带金属保护盖 /With protection cover |               |                  |
| 金属盖/用于上壳 For hoods            |               |                  |
|                               | G10B-KDB-LA-1 |                  |
| 金属盖/用于下壳 For housings         |               |                  |
|                               | G10B-KDB-LA-2 |                  |



## G10B带双扣外壳 / G10B with 2 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037

防护等级 Degree of protection : IP65


## 上壳 / Hoods

侧出带双扣上壳

Side entry housing with two levers




| 螺纹 Thread             | 型号/Type        | 订货号 /Part Number |
|-----------------------|----------------|------------------|
| PG16                  | G10B-TSB-PG16  |                  |
| M20                   | G10B-TSB-M20   |                  |
| M25                   | G10B-TSB-M25   |                  |
| 高结构/High construction |                |                  |
| PG21                  | G10B-TSBH-PG21 |                  |
| PG29                  | G10B-TSBH-PG29 |                  |
| M25                   | G10B-TSBH-M25  |                  |
| M32                   | G10B-TSBH-M32  |                  |



顶出带双扣上壳 Top entry housing with two levers



| 螺纹 Thread             | 型号/Type        | 订货号 /Part Number |
|-----------------------|----------------|------------------|
| PG16                  | G10B-TGB-PG16  |                  |
| M20                   | G10B-TGB-M20   |                  |
| M25                   | G10B-TGB-M25   |                  |
| 高结构/High construction |                |                  |
| PG21                  | G10B-TGBH-PG21 |                  |
| PG29                  | G10B-TGBH-PG29 |                  |
| M25                   | G10B-TGBH-M25  |                  |
| M32                   | G10B-TGBH-M32  |                  |




## 下壳底座 / Housings

带盖开孔底座 Bulkhead mounting



| 螺纹 Thread | 型号/Type                   | 订货号 /Part Number |
|-----------|---------------------------|------------------|
|           | G10B-AG-BO                |                  |
|           | 带保护盖/ith protection cover |                  |
|           | G10B-AD-BO                |                  |




## 下壳底座 / Housings

带盖表面安装底座 Surface mounting



| 螺纹 Thread             | 型号/Type                    | 订货号 /Part Number |
|-----------------------|----------------------------|------------------|
|                       | 带保护盖/with protection cover |                  |
| 1个进线孔 1 side entry    |                            |                  |
| PG16                  | G10B-SDR-BO-PG16           |                  |
| M20                   | G10B-SDR-BO-M20            |                  |
| M25                   | G10B-SDR-BO-M25            |                  |
| 2个进线孔 2 side entry    |                            |                  |
| PG16                  | G10B-SDR-BO-2PG16          |                  |
| M20                   | G10B-SDR-BO-2M20           |                  |
| M25                   | G10B-SDR-BO-2M25           |                  |
| 高结构/High construction |                            |                  |
| 1个进线孔 1 side entry    |                            |                  |
| PG21                  | G10B-SDRH-BO-PG21          |                  |
| PG29                  | G10B-SDRH-BO-PG29          |                  |
| M32                   | G10B-SDRH-BO-M32           |                  |
| 2个进线孔 2 side entry    |                            |                  |
| PG21                  | G10B-SDRH-BO-2PG21         |                  |
| PG29                  | G10B-SDRH-BO-2PG29         |                  |
| M32                   | G10B-SDRH-BO-2M32          |                  |



## G10B带单扣外壳 / G10B with 1 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037

防护等级 Degree of protection : IP65

## 上壳 / Hoods


侧面进线 Side entry



| 螺纹 Thread | 型号/Type         | 订货号 /Part Number |
|-----------|-----------------|------------------|
| PG16      | G10B-TS-RO-PG16 |                  |
| M20       | G10B-TS-RO-M20  |                  |
| M25       | G10B-TS-RO-M25  |                  |



| 高结构/High construction |                  |  |
|-----------------------|------------------|--|
| PG21                  | G10B-TSH-RO-PG21 |  |
| PG29                  | G10B-TSH-RO-PG29 |  |
| M25                   | G10B-TSH-RO-M25  |  |
| M32                   | G10B-TSH-RO-M32  |  |




顶部进线 Top entry



| 螺纹 Thread | 型号/Type         | 订货号 /Part Number |
|-----------|-----------------|------------------|
| PG16      | G10B-TG-RO-PG16 |                  |
| M20       | G10B-TG-RO-M20  |                  |
| M25       | G10B-TG-RO-M25  |                  |



| 高结构/High construction |                  |  |
|-----------------------|------------------|--|
| PG21                  | G10B-TGH-RO-PG21 |  |
| PG29                  | G10B-TGH-RO-PG29 |  |
| M25                   | G10B-TGH-RO-M25  |  |
| M32                   | G10B-TGH-RO-M32  |  |




## 下壳底座 / Housings


外壳底座: 开孔安装 Bulkhead mounted



| 螺纹 Thread                 | 型号/Type     | 订货号 /Part Number |
|---------------------------|-------------|------------------|
|                           | G10B-AG-LB  |                  |
| 带保护盖/ith protection cover |             |                  |
|                           | G10B-AD-LB  |                  |
| 上壳保护盖/protection cover    |             |                  |
|                           | G10B-KDT-LB |                  |

外壳底座: 表面安装  
Surface mounted: Side entry

| 螺纹 Thread               | 型号/Type            | 订货号 /Part Number |
|-------------------------|--------------------|------------------|
| 1个进线孔1 side entry       |                    |                  |
| PG16                    | G10B-SGR-LB-PG16   |                  |
| M20                     | G10B-SGR-LB-M20    |                  |
| M25                     | G10B-SGR-LB-M25    |                  |
| 2个进线孔2 side entry       |                    |                  |
| PG16                    | G10B-SGR-LB-2PG16  |                  |
| M20                     | G10B-SGR-LB-2M20   |                  |
| M25                     | G10B-SGR-LB-2M25   |                  |
| 高结构 / High construction |                    |                  |
| 1个进线孔1 side entry       |                    |                  |
| PG21                    | G10B-SGRH-LB-PG21  |                  |
| PG29                    | G10B-SGRH-LB-PG29  |                  |
| M32                     | G10B-SGRH-LB-M32   |                  |
| 2个进线孔2 side entry       |                    |                  |
| PG21                    | G10B-SGRH-LB-2PG21 |                  |
| PG29                    | G10B-SGRH-LB-2PG29 |                  |
| M32                     | G10B-SGRH-LB-2M32  |                  |



## G10B带单扣外壳 / G10B with 1 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390


表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037

防护等级 Degree of protection : IP65

## 下壳底座 / Housings

带保护盖表面安装  
Surface mounted with protection cover


| 螺纹 Thread                 | 型号/Type            | 订货号 /Part Number |
|---------------------------|--------------------|------------------|
| 带保护盖/ith protection cover |                    |                  |
| 1个进线孔1 side entry         |                    |                  |
| PG16                      | G10B-SDR-LB-PG16   |                  |
| M20                       | G10B-SDR-LB-M20    |                  |
| M25                       | G10B-SDR-LB-M25    |                  |
| 2个进线孔2 side entry         |                    |                  |
| PG16                      | G10B-SDR-LB-2PG16  |                  |
| M20                       | G10B-SDR-LB-2M20   |                  |
| M25                       | G10B-SDR-LB-2M25   |                  |
| 高结构 / High construction   |                    |                  |
| 1个进线孔1 side entry         |                    |                  |
| PG21                      | G10B-SDRH-LB-PG21  |                  |
| PG29                      | G10B-SDRH-LB-PG29  |                  |
| M32                       | G10B-SDRH-LB-M32   |                  |
| 2个进线孔2 side entry         |                    |                  |
| PG21                      | G10B-SDRH-LB-2PG21 |                  |
| PG29                      | G10B-SDRH-LB-2PG29 |                  |
| M32                       | G10B-SDRH-LB-2M32  |                  |



电缆对接下壳 Cable-to-cable hood



| 螺纹 Thread               | 型号/Type           | 订货号 /Part Number |
|-------------------------|-------------------|------------------|
| PG16                    | G10B-TBF-LB-PG16  |                  |
| M20                     | G10B-TBF-LB-M20   |                  |
| M25                     | G10B-TBF-LB-M25   |                  |
| 高结构 / High construction |                   |                  |
| PG21                    | G10B-TBFH-LB-PG21 |                  |
| PG29                    | G10B-TBFH-LB-PG29 |                  |
| M25                     | G10B-TBFH-LB-M25  |                  |
| M32                     | G10B-TBFH-LB-M32  |                  |



# G10B 耐腐蚀外壳 Metal Hoods & Housings For higher environmental requirements



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 9005 / Powder-coated, RAL 9005


防护等级 Degree of protection : IP65

## 上壳 / Hoods

### 侧面进线 Side entry




| 螺纹 Thread | 型号/Type        | 订货号 /Part Number |
|-----------|----------------|------------------|
| M20       | G10B-TS-M-M20  |                  |
| PG16      | G10B-TS-M-PG16 |                  |



### 侧出线高结构 side entry, high construction




| 螺纹 Thread | 型号/Type        | 订货号 /Part Number |
|-----------|----------------|------------------|
| M25       | G10B-TSH-M-M25 |                  |



### 顶部进线 Top entry




| 螺纹 Thread | 型号/Type        | 订货号 /Part Number |
|-----------|----------------|------------------|
| M20       | G10B-TG-M-M20  |                  |
| PG16      | G10B-TG-M-PG16 |                  |



### 顶出线高结构 top entry, high construction



| 螺纹 Thread | 型号/Type        | 订货号 /Part Number |
|-----------|----------------|------------------|
| M32       | G10B-TGH-M-M32 |                  |




## 下壳底座 / Housings

### 电缆对接下壳 Cable-to-cable hood




| 螺纹 Thread | 型号/Type         | 订货号 /Part Number |
|-----------|-----------------|------------------|
| PG16      | G10B-TBF-M-PG16 |                  |



### 外壳底座: 开孔安装 Bulkhead mounted



| 螺纹 Thread | 型号/Type   | 订货号 /Part Number |
|-----------|-----------|------------------|
| ---       | G10B-AG-M |                  |



## G10B 耐腐蚀外壳 Metal Hoods & Housings For higher environmental requirements



底部外壳安装开孔尺寸/Housing mounting dimensionsPAGE/390

表面粉末镀层, RAL 9005 / Powder-coated, RAL 9005


防护等级 Degree of protection : IP65

## 下壳底座 / Housings

外壳底座: 表面安装 Surface mounted: Side entry



| 螺纹 Thread | 型号/Type         | 订货号 /Part Number |
|-----------|-----------------|------------------|
| PG16      | G10B-SGR-M-PG16 |                  |
| M20       | G10B-SGR-M-M20  |                  |




外壳底座: 表面安装

Surface mounted: Side entry




| 螺纹 Thread | 型号/Type         | 订货号 /Part Number |
|-----------|-----------------|------------------|
| M32       | G10B-SGRH-M-M32 |                  |



上壳保护盖 Protection covers for hoods




| 螺纹 Thread                                                                         | 型号/Type               | 订货号 /Part Number |
|-----------------------------------------------------------------------------------|-----------------------|------------------|
|  | 金属盖/用于上壳 For hoods    |                  |
|  | 金属盖/用于下壳 For housings |                  |



底座保护盖 Housing protection cover



| 螺纹 Thread                                                                           | 型号/Type               | 订货号 /Part Number |
|-------------------------------------------------------------------------------------|-----------------------|------------------|
| ---                                                                                 | 金属盖/用于上壳 For hoods    |                  |
|  | G10B-KDB-LA-M-1       |                  |
|                                                                                     | 金属盖/用于下壳 For housings |                  |
|  | G10B-KDB-LA-M-2       |                  |




上壳 / Hoods

防护等级 Degree of protection : IP65 单扣

顶部进线 Top entry



| 螺纹 Thread | 型号/Type           | 订货号 /Part Number |
|-----------|-------------------|------------------|
| M32       | G10B-TGH-RO-M-M32 |                  |




## 下壳底座 / Housings

外壳底座: 表面安装

Surface mounted: Side entry



| 螺纹 Thread | 型号/Type            | 订货号 /Part Number |
|-----------|--------------------|------------------|
| M25       | G10B-SGRH-LB-M-M25 |                  |



GSB-006接插体 / GSB-006 inserts



芯件适配用G16B外壳  
nserts suit for G16B hoods/housing 690V 35A


6+

螺钉压接/Screw terminal




| 插芯/Inserts | 型号/Type   | 订货号/Part Number |
|------------|-----------|-----------------|
| 公 Male     | GSB-006-M |                 |
| 母 Female   | GSB-006-F |                 |


1) 接插体之间的最大距离21mm  
1) Distance for contact max.21mm



接插针排序  
Contacts arrangement view from termination side



面板安装开孔图  
Panel cut out for inserts for use without Hoods/housings



## G16B 双扣外壳 /G16B with 2 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037

防护等级 Degree of protection : IP65

## 上壳 / Hoods


## 侧面进线 Side entry



| 螺纹 Thread | 型号/Type      | 订货号 /Part Number |
|-----------|--------------|------------------|
| PG21      | G16B-TS-PG21 |                  |
| M25       | G16B-TS-M25  |                  |
| M32       | G16B-TS-M32  |                  |

## 高结构/High construction

|      |               |  |
|------|---------------|--|
| PG21 | G16B-TSH-PG21 |  |
| PG29 | G16B-TSH-PG29 |  |
| M25  | G16B-TSH-M25  |  |
| M32  | G16B-TSH-M32  |  |
| M40  | G16B-TSH-M40  |  |



高结构/High construction


## 顶部进线 Top entry



| 螺纹 Thread | 型号/Type      | 订货号 /Part Number |
|-----------|--------------|------------------|
| PG21      | G16B-TG-PG21 |                  |
| M25       | G16B-TG-M25  |                  |
| M32       | G16B-TG-M32  |                  |

## 高结构/High construction

|                    |                |  |
|--------------------|----------------|--|
| PG21               | G16B-TGH-PG21  |  |
| PG29               | G16B-TGH-PG29  |  |
| M25                | G16B-TGH-M25   |  |
| M32                | G16B-TGH-M32   |  |
| M40                | G16B-TGH-M40   |  |
| 2个进线孔 2 side entry |                |  |
| PG16               | G16B-TGH-2PG16 |  |
| PG21               | G16B-TGH-2PG21 |  |
| M25                | G16B-TGH-2M25  |  |




高结构/High construction

上壳侧出线/顶出线  
Hoods, side & top entry, high construction

我司可提供顶部、侧面同时出线的非标品  
We can provide non-standard products with both top & side entry

型号为: G16B-TSH/TGH-PG/M 如有需要请与我司联系



## 上壳保护盖 Protection covers for hoods



| 螺纹 Thread | 型号/Type  | 订货号 /Part Number |
|-----------|----------|------------------|
|           | G16B-KDT |                  |


## 带金属保护盖/With protection cover

## 金属盖/用于上壳 For hoods

|  |                |  |
|--|----------------|--|
|  | G16B-KD T-LA-1 |  |
|--|----------------|--|

## 金属盖/用于下壳 For housings


|  |                |  |
|--|----------------|--|
|  | G16B-KD T-LA-2 |  |
|--|----------------|--|



## 下壳底座 / Housings

外壳底座: 开孔安装  
Bulkhead mounted


| 螺纹 Thread | 型号/Type | 订货号 /Part Number |
|-----------|---------|------------------|
|           | G16B-AG |                  |





表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037

## 下壳底座 / Housings



## G16B 双扣外壳 /G16B with 2 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037

防护等级 Degree of protection : IP65


## 上壳 / Hoods

侧出带双扣下壳

Side entry housing with two levers



| 螺纹 Thread             | 型号/Type        | 订货号 /Part Number |
|-----------------------|----------------|------------------|
| PG21                  | G16B-TSB-PG21  |                  |
| M25                   | G16B-TSB-M25   |                  |
| M32                   | G16B-TSB-M32   |                  |
| 高结构/High construction |                |                  |
| PG21                  | G16B-TSBH-PG21 |                  |
| PG29                  | G16B-TSBH-PG29 |                  |
| M25                   | G16B-TSBH-M25  |                  |
| M32                   | G16B-TSBH-M32  |                  |




顶出带双扣下壳

Top entry housing with two levers



| 螺纹 Thread             | 型号/Type        | 订货号 /Part Number |
|-----------------------|----------------|------------------|
| PG21                  | G16B-TGB-PG21  |                  |
| M25                   | G16B-TGB-M25   |                  |
| M32                   | G16B-TGB-M32   |                  |
| 高结构/High construction |                |                  |
| PG21                  | G16B-TGBH-PG21 |                  |
| PG29                  | G16B-TGBH-PG29 |                  |
| M25                   | G16B-TGBH-M25  |                  |
| M32                   | G16B-TGBH-M32  |                  |




双扣带盖开孔底座

Bulkhead mounting with hoods



| 螺纹 Thread                    | 型号/Type       | 订货号 /Part Number |
|------------------------------|---------------|------------------|
|                              | G16B-AG-BO    |                  |
| 带保护盖/with protection cover   |               |                  |
|                              | G16B-AD-BO    |                  |
| 带金属保护盖/with protection cover |               |                  |
|                              | G16B-AD-AL-BO |                  |




## 下壳底座 / Housings

双扣带盖表面安装底座

Surface mounting with hoods



| 螺纹 Thread             | 型号/Type            | 订货号 /Part Number |
|-----------------------|--------------------|------------------|
| 1个进线孔 1 side entry    |                    |                  |
| PG21                  | G16B-SDR-BO-PG21   |                  |
| M25                   | G16B-SDR-BO-M25    |                  |
| 2个进线孔 2 side entry    |                    |                  |
| PG21                  | G16B-SDR-BO-2PG21  |                  |
| M25                   | G16B-SDR-BO-2M25   |                  |
| 高结构/High construction |                    |                  |
| 1个进线孔 1 side entry    |                    |                  |
| PG21                  | G16B-SDRH-BO-PG21  |                  |
| PG29                  | G16B-SDRH-BO-PG29  |                  |
| M32                   | G16B-SDRH-BO-M32   |                  |
| 2个进线孔 2 side entry    |                    |                  |
| PG21                  | G16B-SDRH-BO-2PG21 |                  |
| PG29                  | G16B-SDRH-BO-2PG29 |                  |
| M32                   | G16B-SDRH-BO-2M32  |                  |





表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037

## G16B单扣外壳 /G16B with 1 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390


表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037

防护等级 Degree of protection : IP65


## 下壳底座 / Housings

外壳底座: 表面安装  
Surface mounted: Side entry

| 螺纹 Thread               | 型号/Type            | 订货号 /Part Number |
|-------------------------|--------------------|------------------|
| 1个进线孔1 side entry       |                    |                  |
| PG21                    | G16B-SGR-LB-PG21   |                  |
| M25                     | G16B-SGR-LB-M25    |                  |
| 2个进线孔2 side entry       |                    |                  |
| 2PG21                   | G16B-SGR-LB-2PG21  |                  |
| 2M25                    | G16B-SGR-LB-2M25   |                  |
| 高结构 / High construction |                    |                  |
| 1个进线孔1 side entry       |                    |                  |
| PG21                    | G16B-SGRH-LB-PG21  |                  |
| PG29                    | G16B-SGRH-LB-PG29  |                  |
| M32                     | G16B-SGRH-LB-M32   |                  |
| 2个进线孔2 side entry       |                    |                  |
| PG21                    | G16B-SGRH-LB-2PG21 |                  |
| PG29                    | G16B-SGRH-LB-2PG29 |                  |
| M32                     | G16B-SGRH-LB-2M32  |                  |



高结构 / High construction




## 下壳底座 / Housings


带盖表面安装底座 Surface mounting



| 螺纹 Thread               | 型号/Type            | 订货号 /Part Number |
|-------------------------|--------------------|------------------|
| 1个进线孔1 side entry       |                    |                  |
| PG21                    | G16B-SDR-LB-PG21   |                  |
| M25                     | G16B-SDR-LB-M25    |                  |
| 2个进线孔2 side entry       |                    |                  |
| 2PG21                   | G16B-SDR-LB-2PG21  |                  |
| 2M25                    | G16B-SDR-LB-2M25   |                  |
| 高结构 / High construction |                    |                  |
| 1个进线孔1 side entry       |                    |                  |
| PG21                    | G16B-SDRH-LB-PG21  |                  |
| PG29                    | G16B-SDRH-LB-PG29  |                  |
| M32                     | G16B-SDRH-LB-M32   |                  |
| 2个进线孔2 side entry       |                    |                  |
| PG21                    | G16B-SDRH-LB-2PG21 |                  |
| PG29                    | G16B-SDRH-LB-2PG29 |                  |
| M32                     | G16B-SDRH-LB-2M32  |                  |




高结构 / High construction




电缆对接下壳 Cable-to-cable hood



| 螺纹 Thread               | 型号/Type           | 订货号 /Part Number |
|-------------------------|-------------------|------------------|
| PG21                    | G16B-TBF-LB-PG21  |                  |
| M25                     | G16B-TBF-LB-M25   |                  |
| M32                     | G16B-TBF-LB-M32   |                  |
| 高结构 / High construction |                   |                  |
| PG21                    | G16B-TBFH-LB-PG21 |                  |
| PG29                    | G16B-TBFH-LB-PG29 |                  |
| M32                     | G16B-TBFH-LB-M32  |                  |
| M40                     | G16B-TBFH-LB-M40  |                  |



高结构 / High construction



# G16B 耐腐蚀外壳 Metal Hoods & Housings For higher environmental requirements



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 9005 / Powder-coated, RAL 9005


防护等级 Degree of protection : IP65

## 上壳 / Hoods

### 侧面进线 Side entry




| 螺纹 Thread | 型号/Type        | 订货号 /Part Number |
|-----------|----------------|------------------|
| PG21      | G16B-TS-M-PG21 |                  |
| M25       | G16B-TS-M-M25  |                  |



### 侧出线高结构 side entry, high construction




| 螺纹 Thread | 型号/Type         | 订货号 /Part Number |
|-----------|-----------------|------------------|
| PG29      | G16B-TSH-M-PG29 |                  |
| M32       | G16B-TSH-M-M32  |                  |
| M40       | G16B-TSH-M-M40  |                  |



### 顶部进线 Top entry




| 螺纹 Thread | 型号/Type        | 订货号 /Part Number |
|-----------|----------------|------------------|
| PG21      | G16B-TG-M-PG21 |                  |
| M25       | G16B-TG-M-M25  |                  |



### 顶出线高结构 top entry, high construction



| 螺纹 Thread | 型号/Type         | 订货号 /Part Number |
|-----------|-----------------|------------------|
| PG29      | G16B-TGH-M-PG29 |                  |
| M32       | G16B-TGH-M-M32  |                  |




## 下壳底座 / Housings

### 外壳底座: 开孔安装 Bulkhead mounted




| 螺纹 Thread | 型号/Type   | 订货号 /Part Number |
|-----------|-----------|------------------|
| ---       | G16B-AG-M |                  |



### 外壳底座: 表面安装 Surface mounted: Side entry



| 螺纹 Thread | 型号/Type         | 订货号 /Part Number |
|-----------|-----------------|------------------|
| PG21      | G16B-SGR-M-PG21 |                  |
| M25       | G16B-SGR-M-M25  |                  |



## G16B耐腐蚀外壳 Metal Hoods & Housings For higher environmental requirements



底部外壳安装开孔尺寸/Housing mounting dimensionsPAGE/390

表面粉末镀层, RAL 9005 / Powder-coated, RAL 9005

防护等级 Degree of protection : IP65


## 下壳底座 / Housings

### 封底下壳高结构

Housings, surface mounting, high construction




| 螺纹 Thread | 型号/Type           | 订货号 /Part Number |
|-----------|-------------------|------------------|
| 2PG29     | G16B-SGRH-M-2PG29 |                  |
| 2M32      | G16B-SGRH-M-2M32  |                  |
| 2M40      | G16B-SGRH-M-2M40  |                  |



电缆对接下壳 Cable-to-cable hood




| 螺纹 Thread | 型号/Type         | 订货号 /Part Number |
|-----------|-----------------|------------------|
| PG21      | G16B-TBF-M-PG21 |                  |



底座保护盖 Housing protection cover




| 螺纹 Thread                                                                           | 型号/Type               | 订货号 /Part Number |
|-------------------------------------------------------------------------------------|-----------------------|------------------|
|  | 金属盖/用于上壳 For hoods    |                  |
|                                                                                     | G16B-KDB-LA-M-1       |                  |
|                                                                                     | 金属盖/用于下壳 For housings |                  |
|  | G16B-KDB-LA-M-2       |                  |



上壳保护盖 Protection covers for hoods



| 螺纹 Thread                                                                           | 型号/Type               | 订货号 /Part Number |
|-------------------------------------------------------------------------------------|-----------------------|------------------|
|  | 金属盖/用于上壳 For hoods    |                  |
|  | G16B-KDT-LA-M-1       |                  |
|  | 金属盖/用于下壳 For housings |                  |
|  | G16B-KDT-LA-M-2       |                  |



GSB-012接插体 /GSB-012 inserts



芯件适配用G32B外壳  
Inserts suit for G32B hoods/housing

690V 35A (6X2)


12+

螺钉压接/Screw terminal




| 插芯/Inserts | 型号/Type         | 订货号/Part Number |
|------------|-----------------|-----------------|
| 公 Male     | GSB-006-M(1-6)  |                 |
| 母 Female   | GSB-006-F(1-6)  |                 |
| 公 Male     | GSB-006-M(7-12) |                 |
| 母 Female   | GSB-006-F(7-12) |                 |

1) 接插体之间的最大距离21mm  
1) Distance for contact max.21mm




接插针排序  
Contacts arrangement view from termination side



M

F

面板安装开孔图  
Panel cut out for inserts for use without Hoods/housings



## G32B带双扣外壳/G32B with 2 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensionsPAGE/390

表面粉末镀层, RAL 7037 / Powder-coated,RAL 7037


注:上壳高结构和低结构是通用型结构

## 上壳 / Hoods


外壳上壳: 侧面进线 Hood: Side entry




| 螺纹 Thread | 型号/Type      | 订货号 /Part Number |
|-----------|--------------|------------------|
| PG29      | G32B-TS-PG29 |                  |
| PG36      | G32B-TS-PG36 |                  |
| PG42      | G32B-TS-PG42 |                  |
| M32       | G32B-TS-M32  |                  |
| M40       | G32B-TS-M40  |                  |
| M50       | G32B-TS-M50  |                  |

外壳上壳: 顶部进线  
Hood: Top entry


| 螺纹 Thread | 型号/Type      | 订货号 /Part Number |
|-----------|--------------|------------------|
| PG29      | G32B-TG-PG29 |                  |
| PG36      | G32B-TG-PG36 |                  |
| PG42      | G32B-TG-PG42 |                  |
| M32       | G32B-TG-M32  |                  |
| M40       | G32B-TG-M40  |                  |
| M50       | G32B-TG-M50  |                  |



上壳保护盖 Protection covers for hoods




| 螺纹 Thread | 型号/Type       | 订货号 /Part Number |
|-----------|---------------|------------------|
|           | G32B-KDT-LA-1 |                  |




## 下壳底座 / Housings

外壳底座: 开孔安装  
Bulkhead mounted: Bottom entry


| 螺纹 Thread | 型号/Type | 订货号 /Part Number |
|-----------|---------|------------------|
|           | G32B-AG |                  |

外壳底座: 表面安装  
Surface mounted: Side entry

| 螺纹 Thread         | 型号/Type        | 订货号 /Part Number |
|-------------------|----------------|------------------|
| 1个进线孔1 side entry |                |                  |
| PG29              | G32B-SGR-PG29  |                  |
| PG36              | G32B-SGR-PG36  |                  |
| PG42              | G32B-SGR-PG42  |                  |
| M32               | G32B-SGR-M32   |                  |
| M40               | G32B-SGR-M40   |                  |
| 2个进线孔2 side entry |                |                  |
| PG29              | G32B-SGR-2PG29 |                  |
| PG36              | G32B-SGR-2PG36 |                  |
| PG42              | G32B-SGR-2PG42 |                  |
| M32               | G32B-SGR-2M32  |                  |
| M40               | G32B-SGR-2M40  |                  |

电缆对接下壳  
Cable-to-cable hood

| 螺纹 Thread | 型号/Type       | 订货号 /Part Number |
|-----------|---------------|------------------|
| PG29      | G32B-TBF-PG29 |                  |
| PG36      | G32B-TBF-PG36 |                  |
| PG42      | G32B-TBF-PG42 |                  |
| M32       | G32B-TBF-M32  |                  |
| M40       | G32B-TBF-M40  |                  |
| M50       | G32B-TBF-M50  |                  |



G32B带双扣外壳/G32B with 2 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensionsPAGE/390

表面粉末镀层, RAL 7037 / Powder-coated,RAL 7037


注:上壳高结构和低结构是通用型结构

上壳 / Hoods

外壳上壳: 侧面进线 Hood: Side entry




| 螺纹 Thread | 型号/Type       | 订货号 /Part Number |
|-----------|---------------|------------------|
| PG29      | G32B-TSB-PG29 |                  |
| M32       | G32B-TSB-M32  |                  |



开孔安装 Bulkhead mounted




| 螺纹 Thread | 型号/Type       | 订货号 /Part Number |
|-----------|---------------|------------------|
| PG29      | G32B-TGB-PG29 |                  |
| PG36      | G32B-TGB-PG36 |                  |
| PG42      | G32B-TGB-PG42 |                  |
| M32       | G32B-TGB-M32  |                  |
| M40       | G32B-TGB-M40  |                  |
| M50       | G32B-TGB-M50  |                  |



开孔安装 Bulkhead mounted




| 螺纹 Thread | 型号/Type    | 订货号 /Part Number |
|-----------|------------|------------------|
|           | G32B-AG-BO |                  |



开孔安装 Bulkhead mounted




| 螺纹 Thread         | 型号/Type           | 订货号 /Part Number |
|-------------------|-------------------|------------------|
| 1个进线孔1 side entry |                   |                  |
| PG29              | G32B-SGR-BO-PG29  |                  |
| PG36              | G32B-SGR-BO-PG36  |                  |
| PG42              | G32B-SGR-BO-PG42  |                  |
| M32               | G32B-SGR-BO-M32   |                  |
| M40               | G32B-SGR-BO-M40   |                  |
| 2个进线孔2 side entry |                   |                  |
| PG29              | G32B-SGR-BO-2PG29 |                  |
| PG36              | G32B-SGR-BO-2PG36 |                  |
| PG42              | G32B-SGR-BO-2PG42 |                  |
| M32               | G32B-SGR-BO-2M32  |                  |
| M40               | G32B-SGR-BO-2M40  |                  |



底座保护盖



| 螺纹 Thread | 型号/Type       | 订货号 /Part Number |
|-----------|---------------|------------------|
|           | G32B-KDB-LA-2 |                  |



## G32B带单扣外壳 / G32B with 1 lever on the hoods/housings



底部外壳安装开孔尺寸/Housing mounting dimensions PAGE/390

表面粉末镀层, RAL 7037 / Powder-coated, RAL 7037


注:上壳高结构和低结构是通用型结构

## 上壳 / Hoods


外壳上壳: 侧面进线 Hood: Side entry



| 螺纹 Thread | 型号/Type         | 订货号 /Part Number |
|-----------|-----------------|------------------|
| PG29      | G32B-TS-RO-PG29 |                  |
| PG36      | G32B-TS-RO-PG36 |                  |
| PG42      | G32B-TS-RO-PG42 |                  |
| M32       | G32B-TS-RO-M32  |                  |
| M40       | G32B-TS-RO-M40  |                  |
| M50       | G32B-TS-RO-M50  |                  |

外壳上壳: 顶部进线  
Hood: Top entry


| 螺纹 Thread | 型号/Type         | 订货号 /Part Number |
|-----------|-----------------|------------------|
| PG29      | G32B-TG-RO-PG29 |                  |
| PG36      | G32B-TG-RO-PG36 |                  |
| PG42      | G32B-TG-RO-PG42 |                  |
| M32       | G32B-TG-RO-M32  |                  |
| M40       | G32B-TG-RO-M40  |                  |
| M50       | G32B-TG-RO-M50  |                  |



## 下壳底座 / Housings

外壳底座: 开孔安装  
Bulkhead mounted: Bottom entry

| 螺纹 Thread | 型号/Type                    | 订货号 /Part Number |
|-----------|----------------------------|------------------|
|           | G32B-AG-LB                 |                  |
|           | 带保护盖/With protection cover |                  |
|           | G32B-AD-LB                 |                  |

外壳底座: 表面安装  
Surface mounted: Side entry

| 螺纹 Thread | 型号/Type                    | 订货号 /Part Number |
|-----------|----------------------------|------------------|
|           | 1个进线孔1 side entry          |                  |
| PG29      | G32B-SGR-LB-PG29           |                  |
| M32       | G32B-SGR-LB-M32            |                  |
|           | 2个进线孔2 side entry          |                  |
| PG29      | G32B-SGR-LB-2PG29          |                  |
| M32       | G32B-SGR-LB-2M32           |                  |
|           | 带保护盖/With protection cover |                  |
|           | 1个进线孔1 side entry          |                  |
| PG29      | G32B-SDR-LB-PG29           |                  |
| M32       | G32B-SDR-LB-M32            |                  |
|           | 2个进线孔2 side entry          |                  |
| PG29      | G32B-SDR-LB-2PG29          |                  |
| M32       | G32B-SDR-LB-2M32           |                  |

